



Voluntary Report - Voluntary - Public Distribution

Date: March 06, 2021

Report Number: BG2021-0009

Report Name: Bangladesh issues Regulation on Food Safety 2017

Country: Bangladesh

Post: Dhaka

Report Category: FAIRS Subject Report, Sanitary/Phytosanitary/Food Safety

Prepared By: Dr. Tanvir Mahmud Hossain

Approved By: Tyler Babcock

Report Highlights:

On June 7 2017, the Bangladesh Food Safety Authority released the following Regulation on Food Safety (Chemical contamination, toxin, and harmful residue), 2017. As of March 7 2021, Bangladesh has not notified the regulation to the WTO SPS Committee. This report contains an unofficial translation of the regulation.

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT POLICY **BEGIN TRANSLATION -**

Reg. No. D A-1





Additional Volume

Published by the Authority

Monday, July 10, 2017

[Advertisements and notifications published in exchange of payment by non-government persons and corporations]

People's Republic of Bangladesh Bangladesh Food Safety Authority

Ministry of Food

Communique

Date: 24th Joishthya 1424 Bangla year/ 07 June 2017 AD

S.R.O no. 183- law/2017- To be read with and with the power vested by the Food Safety Act, 2013 (Law no. 43 of year-2013) section 87, section 13's subsection (4), Bangladesh Food Safety Authority, with pre-approval from the government, creates the following regulations, as: -

1. **Title and induction**. - (1) The regulation shall be referred to as Regulation on Food Safety (Chemical contamination, toxin, and harmful residue), 2017.

(2) This would be effective immediately

2. **Definition**- (1) In the case of no contradiction with the subject of the subject and context, within these regulations-

(1) "**Maximum Residue Limit**" means the highest amount of harmful residue permitted to be present within food items;

- (2) "Act" means the Food Safety Act, 2013 (Act 43 from the year- 2013);
- (3) "**Toxin**" means the poisonous substance originated from living cells that can enter the human body in some way to cause disease outbreak inside the human body;
- (4) "Schedule" means the schedule of the regulation;
- (5) "Contaminant" means the defined contaminants by clause (21) of section 2 of the

act;

(7477)

Price: 80.00 taka

(6) "**Acceptable Daily Intake**" means the amount of harmful reside within food items which in ratio with the daily bodyweight for every kilogram can be taken without any health risk;

(7) "Residue of medicine used in case of animal or fish diseases" means clause (21) of section 2 of the act.

(8) "**Pesticide**" means the production, storing, transportation, supply, food processing, items used at any point of the ectoparasitic or animal feed control process.

(9) "**Harmful residue**" means toxin, pesticide, and medicine used for animal and fish diseases over the highest tolerable amount as described in the schedule.

(2) The words and expressions used but neither defined nor explained in the regulations shall be used with the same meaning they have been used in acts.

3. Presence of physical contaminants in food items: The physical contaminants that can remain during food production, processing, preparation, packaging, transportation, storing or, existence in a polluted environment and can make food items unsafe, cannot exist in the food items:

There is a condition, however, that, parts of insects, hair, or any other similar external items as-wood, glass, paper, sand, or stones, as long as do not exceed the maximum tolerable limit and does not become contaminated through transportation of contaminants or, the existence of those external items does not become harmful for the health, shall not be considered as contaminants.

- 4. Control of the usage of heavy metal or other metal elements in food items- Heavy metal or any other metallic element as mentioned in column 1 of column 3 of schedule 1, if found by any individual or representative appointed by the individual to exceed the amount mentioned in column 4 or any other quantity decided by any other act and be harmful to health, the production, import, processing, storing, supply and distribution or sale of such food cannot be performed.
- 5. Control of the usage of nitrate in food items- The presence of nitrate due to heavy usage of nitrogenous fertilizer during agricultural production, if found to exceed the determined amount by any of the active acts or the amount specified for the food item in column-2, schedule- 2 by any individual or their representative and found to be harmful, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 6. **Control of the usage of polycyclic aromatic hydrocarbon-** The presence of polycyclic aromatic hydrocarbon or the amount determined by any of the active acts or the highest amount mentioned for the food item in column 2 of schedule 3, if exceeds the amount as mentioned on the opposite of the food item in

column 3, and is harmful to the body as found by any individual or representative appointed by the individual, the production, import, processing, storing, supply and distribution or sale of such food cannot be performed.

- 7. Control of usage of polychlorinated biphenyl and dioxin- The presence of polychlorinated biphenyl and dioxin, if found to exceed the determined amount by any of the active acts or the amount specified for the food item in column-3 as mentioned in column 2 of schedule- 4 by any individual or representative appointed by the individual and found to be harmful, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 8. Control of usage of radionuclide- The presence of radionuclide, if found to exceed the determined amount by any of the active acts or the amount specified for the food item in column-1 as mentioned in column 2 of schedule- 5 by any individual or their representative and found to be harmful, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 9. Control of usage of toxin, etc.- The presence of toxins, if found to exceed the maximum determined amount specified in column-4 for the toxins in column-1 within the food items mentioned in column-3 of schedule-6 by any individual or representative appointed by the individual, and found to be harmful due to the excess of use, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 10. **Control of usage of harmful food residue-** The presence of pesticide residue, fungicide residue, *spider repellent residue, dewormer residue,* pesticide (used on food items in storage facilities), plant growth regulators' residue mentioned from the schedule- 7 till schedule-13, if found to exceed the maximum determined amount specified those aforementioned schedules, by any individual or representative appointed by the individual, and found to be harmful due to the excess of use, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 11. Control of usage of residue from medicines used in animal or fish diseases- The presence of medicines used in animal or fish diseases, mentioned in column-3 of schedule-14, if found to exceed the maximum amount specified in column-4 by any individual or representative appointed by the individual, and found to be harmful due to the excess of use, in that case, the production, importing, processing, storing, supply or sale cannot be performed.
- 12. Following international standard- Determined amounts in the latest versions of internationally recognized codex or internationally recognized standards have to be followed for number of chemical contaminants, toxins and harmful residue within food items during production, processing, storage, supply, import, marketing and sale that are not mentioned from schedule-1 till schedule-14.

- 13. Advertising promotions- In order for the objectives of section-41 and 42 of the Act to be fulfilled, any food item that might be harmful or distracting for the consumers, which contains excess amount of chemical contaminants, toxins and harmful residues as per guidance from schedule-1 till scheduled, cannot be advertised and sold by for the food items' production, import, marketing or sale by any individual or representative appointed by the individual.
- 14. **Unnecessity-** Provisions for the Pure Food Rules, 1967 that are related to the regulations from these provisions shall be deemed unnecessary as soon as the provisions are in effect.
- 15. **Publication of translated English text** (1) After the induction of the provisions, the authorities, with the preapproval from the government, if considered to be necessary, with communique in government gazette, shall publish an authentic English text translated from the Bangla text.

(2) In case of conflict between the Bangla and English text, the Bangla text shall be prioritized.

| Name of heavy metal | Codex Food | y Metals or any other metallic substance Name of the Food Item | Highest |
|---------------------------------|--------------------|---|--------------------------|
| and other metallic substance | Codex Food Code | | tolerable level (ppm) |
| 1 | 2 | 3 | 4 |
| Arsenic | 2.1 | Oil and fat | |
| | | Edible oil and fat | 0.10 |
| | | Refined olive oil | 0.10 |
| | | Virgin olive oil | 0.10 |
| | | Residue olive oil | 0.10 |
| | | Crude vegetable oil | 0.10 |
| | | Edible vegetable oil | 0.10 |
| | 12.1.1 | Salt, food grade | 0.50 |
| | 14.1.1.1 | Natural mineral water | 0.01 |
| Cadmium | 4.2.1.1 | Untreated fresh vegetable, nuts and | |
| | | Brassica vegetable | 0.05 |
| | | Bulb vegetable | 0.05 |
| | | Fruiting vegetable, except cucurbit | 0.05 |
| | | Fruiting vegetables, cucurbits | 0.05 |
| | | Leafy vegetables or spinach | 0.20 |
| | | Legume vegetable | 0.10 |
| | | Potato | 0.10 |
| | | Pulse | 0.10 |
| | | Root and Bulb vegetables | 0.10 |
| | | Stalk and stem vegetables | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereal, inclu | ding rice |
| | | Cereal grains | 0.10 |
| | | Polished rice | 0.40 |
| | | Wheat | 0.20 |
| | 12.1.1 | Salt, food grade | 0.50 |
| | 14.1.1.1 | Natural mineral water | 0.003 |
| Chromium | 11.1.1 | Refined sugar | 0.02 |
| Copper | 4.0 | Fruits and vegetables | 0.02 |
| соррег | 4.1.2.8 | Any fruits and fruit-based product | 5.0 |
| | 4.2.2.6 | Tomato puree, paste, powder, juice and | 100.0 |
| | 4.2.2.0 | juice mixture (on basis of solid content of | 100.0 |
| | | dry tomatoes) | |
| | | Tomato ketchup (on basis of solid content | 50.0 |
| | | of dry tomatoes) | 50.0 |
| | E 1 1 | Coco powder (fat-free product) | 70.0 |
| | 5.1.1 5.2.1 | | 70.0 5.0 |
| | 5.2.1 | Finely refined sugar-based bakery products | 5.0 |
| | 5.4 | Color (based on dry weight) | 30.0 |
| | 12.1.2 | Iron enriched edible salt | 2.0 |
| | 12.2 | Herbs, spices and seasonings | 1 |
| | | Turmeric and powdered turmeric | 5.0 |
| Copper | 12.3.1 | Brewed vinegar and synthetic vinegar | 0.0(Zero) |

Schedule-1 Heavy Metals or any other metallic substance

| Name of heavy metal and other metallic substance | Codex Food Code | Name of the Food Item | Highest tolerable level (ppm) |
|--|--------------------|---|---------------------------------------|
| 1 | 2 | 3 | 4 |
| | 12.8.1 | Yeast and yeast products (based on dry weight) | 60.0 |
| | 12.9.1 | Solid Pectin | 300.0 |
| | 13.1.1 | Infant formulae and infant milk substitute | 15.0(but not less than 2.8 ppm) |
| | 14.1.2.1 | Canned or bottled (pasteurized) frui | |
| | | Soft drinks without condensed and carbonated water | 7.0 |
| | | Orange, grape, apple, tomato, pineapple and lemon juice | 5.0 |
| | 14.1.2.3 | Condensed fruit juice (liquid or so | lid) |
| | | For condensed soft drinks | 20.0 |
| | 14.1.4.1 | Carbonated water | 1.5 |
| | 14.1.5.1 | Black and green tea (black, fermented | and dry) |
| | | Теа | 150.0 |
| | 14.1.5.2 | Coffee bean | 30.0 |
| | 16 | Composite foods (e.g., casseroles, meat | 30.0 |
| | | pies, mincemeat)- foods that could not be placed in categories 1-15 | |
| | | Foods that are not specified | 30.0 |
| Lead | 1.1.1 | Milk | 0.02 |
| | | Secondary milk products | 0.02 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Oil and fat, edible | 0.10 |
| | | Olive oil, refined | 0.10 |
| | | Olive oil, virgin | 0.10 |
| | | Olive oil, residual | 0.10 |
| | | Vegetable oil, crude | 0.10 |
| | 212 | Vegetable oil, edible | 0.10 |
| | 2.1.3 | Fat, tallow, fish oil and other anima | |
| | 4.1.1.1 | Poultry fat Untreated fresh fruit | 0.10 |
| | 4.1.1.1 | Fruits from subtropical areas, edible peel | 0.10 |
| | | Fruits from subtropical areas, inedible peel | 0.10 |
| | | Berry and other small fruits | 0.10 |
| | | Citrus fruits | 0.20 |
| | | Olive | 1.0 |
| | | Pome fruits | 0.10 |
| | | Stone fruits | 0.10 |
| | 4.1.2.4 | Canned fruits: mixed, grape, mandarin | 1.0 |
| | | orange, mango, pineapple, raspberry, | - |
| | | strawberry and canned tropical fruit salad | |

| Name of heavy metal and other metallic substance | Codex Food Code | Name of the Food Item | Highest tolerable level (ppm) |
|--|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Lead | 4.1.2.5 | Jam and jelly | 1.0 |
| | 4.1.2.8 | Processed fruit which includes fruit pulp, and coconut milk | fruit topping |
| | | Mango pickle | 1.0 |
| | 4.2.1.1 | Untreated fresh vegetables, nuts and | d seeds |
| | | Brassica vegetables | 0.30 |
| | | Bulb vegetables | 0.10 |
| | | Fruiting vegetables, except cucurbit | 0.10 |
| | | Fruiting vegetables, cucurbits | 0.10 |
| | | Leafy vegetables or spinach | 0.30 |
| | | Legume type vegetables | 0.20 |
| | | Pulse | 0.20 |
| | | Roots and bulb type vegetables | 0.10 |
| | 4.2.2.4 | Canned or bottled (pasteurized) or | 1.0 |
| | | packaged (retort pouch) vegetables: | |
| | | canned asparagus, carrot, broad bean and | |
| | | wax bean, nourished processed peas, | |
| | | mushroom, sweet corn and tomato | |
| - | | Canned chestnut and chestnut puree | 1.0 |
| - | 4.2.2.6.1 | Processed condensed tomato | 1.5 |
| | 6.1 | Whole, grinded, or flaked cereals, inclu | iding rice |
| | | Cereal grains (except buckwheat, kaniwa | 0.2 |
| | | and quinoa) | |
| | 8.1.1 | Fresh meat, poultry, and whole or pieced | |
| | | Edible offal of cattle | 0.50 |
| | | Edible offal of poultry | 0.50 |
| | | Cattle, sheep meat | 0.10 |
| | | Poultry meat | 0.10 |
| ļ | 12.1.1 | Salt, food grade | 2.0 |
| ļ | 13.1 | Infant formulae and follow-on formulae | 0.02 |
| ļ | 14 | Soft drinks (except milk-based proc | - |
| ļ | 14.1.1 | Natural mineral water | 0.01 |
| | 14.1.2 | Fruit juice | 0.05 |
| Mercury | 12.1.1 | Salt, food grade | 0.10 |
| | 14.1.1.1 | Natural mineral water | 0.001 |
| Nickel | 2.1 | Oil and fat | 1 |
| | | All hydrogenated included, partially hydrogenated, inter esterified vegetable | 1.5 |
| | | oil and fat like- hydrogenated vegetable oil, margarine, bakery shortening career, | |
| | | extensible fat and partially hydrogenated | |
| Tin | 4.1.1.1 | soybean oil Untreated fresh fruits | |
| 1111 | 4.1.1.1 | Unitedieu nesin nults | |

| Name of heavy metal and other metallic substance | Codex Food Code | Name of the Food Item | Highest tolerable level (ppm) |
|--|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Olive | 250.00 |
| | 4.1.2.4 | Canned or bottled(pasteurized) f | ruit |
| | | Canned fruits: mixed, grape, mandarin, | 250.00 |
| | | orange, mango, pineapple, raspberry, | |
| | | strawberry and canned tropical fruit salad | |
| Tin | 4.1.2.5 | Jams, Jellies, marmalades | |
| | | Jam and jelly | 250.00 |
| | 4.1.2.8 | Mango pickle | 250.00 |
| | 4.2.2.4 | Canned or bottled (pasteurized) or | 4.2.2.4 |
| | | packaged (retort pouch) vegetables: | |
| | | canned asparagus, carrot, broad bean and | |
| | | wax bean, nourished processed peas, | |
| | | mushroom, sweet corn and tomato | |
| | 4.2.2.6 | Tomato concentrates | 250.00 |
| | 4.2.2.7 | Fermented vegetable products | 5 |
| | | Cucumber pickle | 250.00 |
| | 8.2.1 | Thigh meat cooked in tin pot | 200.00 |
| | | Thigh meat cooked without tin pots | 50.00 |
| | | Corned beef in tinplate pot | 200.00 |
| | | Corned beef with tinplate pot | 50.00 |
| | | Luncheon meat in tinplate pot | 200.00 |
| | | Luncheon meat without tinplate pot | 50.00 |
| | 14.1.2.1 | Canned or bottled (pasteurized) frui | t juice |
| | | Canned soft drinks | 150.00 |
| | 16 | Compound or mixed food (example: mea | t pie, meat |
| | | pieces) which is included outside the food of | category 1-15 |
| | | Canned food other than beverages | 250.00 |
| Zinc | 4.2.2.6 | Any fruit or fruit extract product | 5.0 |
| | 11 | Sweeteners, including honey | |
| | 11.1 | Finely refined sugary bakery product | 5.0 |
| | 12.2 | Herbs, spices, seasonings | |
| | | Turmeric and powdered turmeric | 25.0 |
| | 12.10 | Edible gelatin | 100.0 |
| | 13.1.1 | Infant formulae and alternative infant | 50.0 (but |
| | | formulae | not less |
| | | | that 25 |
| | | | ppm) |

Schedule-2 Nitrates

| Codex food code | Name of food items | Highest tolerable level (mg No3/kg) | | |
|-----------------|--|--|--|--|
| 1 | 2 | 3 | | |
| 4.2.1.1 | Refined fresh vegetables, nuts and seeds | | | |
| | Lettuce (produced in covered state) | 5000 | | |
| | Lettuce (produced in uncovered state) | 4000 | | |
| | 'iceberg' type lettuce (produced in covered state) | | | |
| | 'iceberg' type lettuce (produced in uncovered state) | | | |
| | Fresh spinach | 3500 | | |
| 4.2.2.1 | Frozen vegetables | | | |
| | Stored, highly frozen or frozen spinach | 2000 | | |
| 13 | Foodstuffs intended for particular nutritional uses | | | |
| | Processed crop food and food prepared for infants and children | 200 | | |

Schedule-3 Polycyclic Aromatic Hydrocarbon (PAH)

| Codex food code | Name of food items | Highest tolera | ble level (PPB or µg/kg) |
|-----------------|---|--------------------|---|
| | | Benzo(a) Pyrene | Benzo(a) pyrene, benzo9a), anthracene, benzo(b) fluoranthene and chrysene collaboration |
| 1 | 2 | | 3 |
| 2.1.1 | Oil and fat (except cocoa butter and coconut oil) which can be used for human food or ingredient for creating food items | 2.0 | 10.0 |
| 2.1.2 | Coconut oil that can be used as human food or ingredient to make food item | 2.0 | 20.0 |
| 4.2.2.2 | Dry vegetables, seaw | veeds, nuts and s | seeds |
| | Cocoa bean and food items produced from it | 5.0 | 35.0 |
| 6 | Processed cereal food and infant and children formulae | 1.0 | 1.0 |
| 8.1.1 | Smoked meat and food items produced from it | 2.0 | 12.0 |
| 9 | Smoked fish and smoked fish items, (large pakal, large fish from sweet water, fish heart and items produced from it except marine oil) | 2.0 | 12.0 |
| | Smoked spruit fish and canned smoked spruit, bivalve mollusks (fresh, frozen), heated meat and heated meat sold to consumers | 5.0 | 30.0 |
| | Bivalve mollusks, smoked | 6.0 | 35.0 |
| 13 | Foodstuffs intended for p | | |
| | Cereal food or infant or child formulae Infant formulae and follow-on formulae, including infant milk and follow-on milk | 1.0 1.0 | 1.0 1.0 |
| | Dietary foods for special medical purposes intended specifically, for infants | 1.0 | 1.0 |

| Schedule-4 |
|--|
| Polychlorinated biphenyls (PCBs) and Dioxins |

| Codex food code | Name of food items | Highest tolerable level (PPB or µg/kg) | | |
|--------------------|--------------------------------|--|--------------------|------------------|
| | | Sum of dioxins | Sum of dioxins | PCB28, |
| | | (pg/g fat)- | and dioxin-like | PCB52, |
| | | | PCBs (pg/g fat)- | PCB101, |
| | | WHO- | | PCB138, |
| | | PCDD/ | WHO-PCDD/F- | PCB153 ([|
| | | | PCB-TEQ | PCB180 (|
| | | F-TEQ | | M (ng/g |
| | | | | fat)- ICES-6 |
| 1 | 2 | | 3 | |
| 1.1.1 | Raw milks and dairy | 2.5 | 5.5 | 40.0 |
| | products including butter fats | | | |
| 2.1.2 | Vegetable oil and fat | 0.75 | 1.25 | 40.0 |
| 2.1.3 | Lard, t | allow, fish oil and | other animal fat | |
| | Marine oil (fish oil, fish | 1.75 | 6.0 | 200.0 |
| | heart oil, and other marine | | | |
| | animals' oil to be | | | |
| | consumed by humans | | | |
| | Poultry fat | 1.75 | 3.0 | 40.0 |
| | Cattle and sheep fat | 2.5 | 4.0 | 40.0 |
| | Mixed animal fat | 1.5 | 2.5 | 40.0 |
| 8.1.1 | Fresh me | eat, poultry, and w | hole or pieced gam | ne meat |
| | Cattle meat and meat | 2.5 | 4.0 | 40.0 |
| | based products | | | |
| | Poultry meat and meat | 1.75 | 3.0 | 40.0 |
| | Heart of land animals | 0.3 (wet weight | 0.5 (wet weight | 3.0 (wet weight |
| | (except sheep and products | basis) | basis) | basis) |
| | produced from that) | | | |
| | Sheep heart and products | 1.25 (wet | 2.0 (wet weight | 3.0 (wet weight |
| | generated from that | weight basis) | basis) | basis) |
| 9 | Fish and fish products | _ | | |
| | Fresh fish and fish products | 3.5 (wet weight | 6.5 (wet weight | 75.0 (wet weight |
| | (large pakal, large sweet | basis) | basis) | basis) |
| | fish water, fish heart, | | | |

| | except marine oil) | | | |
|------------|---------------------------|--------------------|----------------------|-------------------|
| | Muscle of fish from open | 3.5 (wet weight | 6.5 (wet weight | 125.0 (wet weight |
| | waters, except diadromous | basis) | basis) | basis) |
| | fish and fish products | | | |
| | Large pakal and products | 3.5 (wet weight | 10.0 (wet | 300.0 (wet weight |
| | generated from it | basis) | weight basis) | basis) |
| Codex food | Name of food items | Highest | tolerable level (PP | B or μg/kg) |
| code | | | | |
| | | Sum of dioxins | Sum of dioxins | PCB28, |
| | | (pg/g fat)- | and dioxin-like | PCB52, |
| | | | PCBs (pg/g fat)- | PCB101, |
| | | WHO- | | PCB138, |
| | | PCDD/ | WHO-PCDD/F- | PCB153 ([|
| | | | PCB-TEQ | PCB180 (|
| | | F-TEQ | | M (ng/g |
| | | | | fat)- ICES-6 |
| 1 | 2 | | 3 | |
| | Fish heart and products | | 20.0 (wet | 200.0 (wet weight |
| | generated from that | | weight basis) | basis) |
| | (except marine oil) | | | |
| 10.1 | Chicken egg and egg | 2.5 (fat weight | 5.0 (fat weight | 40.0 (fat weight |
| | products | basis) | basis) | basis) |
| 13 | Foodstuffs | intended for parti | cular nutritional us | es |
| | Food for infant and | 0.1 (Wet | 0.2 (Wet weight | 1.0 (Wet weight |
| | children | weight basis) | basis) | basis) |

Schedule-5 Radionuclides or equivalent substance that are remaining naturally or in any other way

| Radioactive particle | Name of the food item | Highest tolerable level (Bq/kg) |
|---|--|---------------------------------|
| 1 | 2 | 3 |
| ²³⁸ Pu, ²³⁹ Pu, ²⁴⁰ Pu, ²⁴¹ Am | Baby food* | 1 |
| ⁹⁰ Sr, ¹⁰⁶ Ru, ¹²⁹ I, ¹³¹ I, ²³⁵ U | Baby food* | 100 |
| ³⁵ S**, ⁶⁰ Co, ⁸⁹ Sr, ¹⁰³ Ru, 134Cs, ¹³⁷ Cs, ¹⁴⁴ Ce, ¹⁹² Ir | Baby food* | 1000 |
| ³ H***, ¹⁴ C, ⁹⁹ Tc | Baby food* | 1000 |
| ²³⁸ Pu, ²³⁹ Pu, ²⁴⁰ Pu, ²⁴¹ Am | Food other than Baby food | 10 |
| ⁹⁰ Sr, ¹⁰⁶ Ru, ¹²⁹ I, ¹³¹ I, ²³⁵ U | Food other than Baby food | 100 |
| ³⁵ S**, ⁶⁰ Co, ⁸⁹ Sr, ¹⁰³ Ru, ¹³⁴ CS, ¹³⁷ Cs, ¹⁴⁴ Ce, ¹⁹² Ir | Food other than Baby food | 1000 |
| ³ H***, ¹⁴ C, ⁹⁹ Tc | Food other than Baby food | 10000 |
| ¹³⁴ Cs, ¹³⁷ Cs, ²³⁹ Pu, ⁹⁰ Sr, ¹³¹ I | Powdered milk and milk-based products**** | 95 |
| ¹³⁴ Cs, ¹³⁷ Cs, ²³⁹ Pu, ⁹⁰ Sr, ¹³¹ I | Other food products ***** | 50 |

*When used directly

** This presents the amount of Sulphur added naturally

***This presents the amount of tritium added naturally

**** powdered milk and milk-based product (powdered milk, condensed milk, cheese, ghee, butter, cerelac, ovaltin, maltova, Horlicks, farlack and milk-based product)

***** Other food items (rice, wheat, rep seed, fish, meat, pulse, onion, garlic, spice, vegetable, all edible oil, drinks and drinking water, and other food items)

The amount of contamination due to the presence of radioactive particle shall be expressed in the state in which they will reach the ports meaning, the states without any process of condensing, reduction or processing)

Schedule-6 Toxin (A) Mycotoxin

| Name of the contaminants | Codex food code | Name of the food items | Highest tolerable limit (PPB) |
|---|-----------------|---|----------------------------------|
| 1 | 2 | 3 | 4 |
| Aflatoxin total (Sum of B1, B2, G1 and G2) | 4.1.1.1 | Almond, brazil nut, hazelnut, peanuts- used as ingredient to be created for making food items | 10 |
| | | Peanuts, almond, brazil nut, hazelnut, peanut storage, or processing before eating or used as ingredients for food items. | 15 |
| Aflatoxin M1 | 1.1 | Milk | 0.5 |
| Ochratoxin A | 6.1 | Wheat, barley, rye | 5 |
| Patulin | 14.1.2 | Apple juice | 50 |

(B) Miscellaneous Mycotoxin

| Name of the contaminant | Codex food code | Name of food items | Highest tolerable limit (PPM) |
|---------------------------------|-----------------|--|----------------------------------|
| 1 | 2 | 3 | 4 |
| Agaric acid | 1-16 | In any food item | 100 |
| Hydrocyanic acid | 1-16 | In any food item | 5.0 |
| Hypericin | 1-16 | In any food item | 1.0 |
| Caproyl | 1-16 | In any food item | 10 |
| Acrylonitrile | 1-16 | In any food item | 0.02 |
| Chloropropanol etc. (3-MCPD) | | Liquid pickle or sauce | 0.4 |
| Melamine | 13 | Powdered milk suitable to be used as infants' food | 1.0 |
| | 16 | Other food (which are not suitable for infants) | 2.5 |
| Vinyl chloride monomer | 1-16 | In any food item | 0.01 |
| Fumonisins | 6.1 | Maize (unprocessed) | 4.0 |
| | 6.3 | (Maize-based breakfast cereals and maize- based snacks) | 0.8 |
| | 15, 16 | Edible food for human made from maize (except corn flour, food made with maize, corn oats, maize germ, refined corn | 1.0 |

| Name of the contaminant | Codex food code | Name of food items | Highest tolerable limit (PPM) |
|-------------------------|-----------------|---|----------------------------------|
| 1 | 2 | 3 | 4 |
| | | oil, food from processed maize, infant food) | |
| | 15,16 | Edible processed maize-based food and infant food | 0.2 |

Schedule-7 Insectisides Residue

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Abamectin | 1.1.1 | Cattle and goat milk 0.005 | 0.005 |
| | 2.1.3 | Fat, tallow, fish oil and other animal fat | |
| | | Cattle fat | 0.10 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Almond | 0.01 |
| | | Citrus fruits | 0.01 |
| | | Melons, except watermelon | 0.01 |
| | | Melons | 0.01 |
| | | Walnuts | 0.01 |
| | | Apple | 0.02 |
| | | Pear | 0.02 |
| | | Strawberry | 0.02 |
| | 4.2.1.1 | Crude fresh vegetable, nu | it and seed |
| | | Tomato | 0.02 |
| | | Cucumber | 0.01 |
| | | Potato | 0.01 |
| | | Squash, summer | 0.01 |
| | | Lettuce leaf | 0.05 |
| | | Sweet chili | 0.02 |
| | | Cotton seeds | 0.01 |
| | 8.1.1 | Fresh meat, poultry, and whole or | pieced game meat |
| | | Cattle meat | 0.01 |
| | | Cattle kidney | 0.05 |
| | | Cattle live | 0.10 |
| | | Goat meat | 0.01 |
| | | Edible offal of goat | 0.10 |
| | 12.2 | Herbs, spices, seaso | nings |
| | | Peppers chilli, dried | 0.20 |
| Acephate | 1.1.1 | Milk | 0.02 |
| | 2.1.3 | Poultry fats | 0.10 |
| | 4.1.1.1 | Crude fresh frui | it |
| | | Cranberry | 0.50 |
| | 4.2.1.1 | Crude fresh vegetable, nuts and seeds | |
| | | Tomato | 1.00 |
| | | Artichoke, globe | 0.30 |
| | | Beans (except broad bean and soybean) | 5.00 |
| | | Cabbage, heads | 2.00 |
| | 6.1 | Whole, grinded, or flaked cerea | |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Rice, husked | 1.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | eced game meat |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry | 0.01 |
| Acephate | 8.1.1 | Mammalian meat (except marine animals) | 0.05 |
| | | Edible offal of mammalian animals | 0.05 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasonir | ngs |
| | | Spices | 0.20 |
| | | Pepper chili, dried | 50.0 |
| | | Soybean, dried | 0.30 |
| Acetamipirid | 1.1.1 | Milk | 0.02 |
| · | 2.1.3 | Fat, tallow, fish oil and other a | animal fat |
| | | Mammalian fat (except dairy) | 0.02 |
| | 4.1.1.1 | Crude fresh fruit | 1 |
| | | Berries and other small fruits | 2.0 |
| | | Cherries, includes all commodities in | 1.5 |
| | | this subgroup | |
| | | Citrus fruits | 1.0 |
| | | Grapes | 0.50 |
| | | Nectarine | 0.70 |
| | | Peach | 0.70 |
| | | Plums including prunes, all | 0.20 |
| | | commodities in this subgroup | |
| | | Pome fruits | 0.80 |
| | | Prunes | 0.60 |
| | | Strawberry | 0.50 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Peas, shelled (succulent seeds) | 0.30 |
| | | Beans (except peas and soybean) | 0.40 |
| | | Cabbage, head | 0.70 |
| | | Flower head Brassica vegetables | 0.40 |
| | | (Including- broccoli, Chinese brassica | |
| | | and cauliflower) | |
| | | Fruiting vegetables, others except | 0.20 |
| | | cucurbit | 0.20 |
| | | Fruiting vegetable, cucurbit | 0.20 |
| | | Celery | 1.50 |
| | | Spring onion | 5.0 |
| | | Tree nuts | 0.06 |
| | | Cotton seeds | 0.70 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Mammalian meat (except marine animals) | 0.02 |
| | | Edible offal of mammals | 0.05 |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry | 0.05 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasonir | g |
| | | Peppers chili, dried | 2.00 |
| | | Garlic | 0.02 |
| | | Onion, bulb | 0.02 |
| Amitraz | 1.1.1 | Milk | 0.01 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Cotton seed oil, unrefined | 0.05 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Cherry, all types | 0.50 |
| | | Orange, sweet sour (Including orange- like hybrid fruits) | 0.50 |
| | | Peach | 0.50 |
| | | Pome fruit | 0.50 |
| | 4.2.1.1 | Crude fresh vegetable, nuts a | nd seeds |
| | | Tomato | 0.50 |
| | | Cucumber | 0.50 |
| | | Cotton seeds | 0.50 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Edible offal of cattle and sheep | 0.20 |
| | | Cattle meat | 0.05 |
| | | Sheep meat | 0.10 |
| Bifenthrin | 1.1.1 | Milk | 0.20 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Rapeseed oil, edible | 0.10 |
| | 2.1.3 | Fat, tallow, fish oil and other a | nimal fat |
| | | Milk fat | 3.00 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Banana | 0.10 |
| | | Black berry | 1.00 |
| | | Citrus fruits | 0.05 |
| | | Raspberry, black, red | 1.00 |
| | | Strawberry | 1.00 |
| | 4.2.1.1 | Crude fresh vegetable, nuts a | nd seeds |
| | | Brassica vegetables, cabbage, flower head brassica vegetables | 0.40 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|---------------|--------------------|---------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Eggplant | 0.30 |
| | | Radish leaves (Including radish tops) | 4.00 |
| | | Root and tuber vegetables | 0.05 |
| | | Tomato | 0.30 |
| | | Tree nuts | 0.05 |
| | | Cotton seed | 0.50 |
| | | Green mustard | 4.00 |
| | | Pulses | 0.30 |
| | | Rapeseed | 0.05 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | _ | Barley | 0.05 |
| | | Maize | 0.05 |
| | | Wheat | 0.50 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | 01111 | Edible offal of mammalian animals | 0.20 |
| | | Mammalian meat (except marine | 3.00 |
| | | animals) | 5.00 |
| | 12.2 | Herbs, spices, seasonings | |
| | | Peppers | 0.50 |
| | | Peppers chili, dried | 5.00 |
| | | Spices, fruits and berries | 0.03 |
| | | Spices, roots and rhizomes | 0.05 |
| | 14.1.5 | Tea, Green, Black (black, fermented, | 30.0 |
| | | and dried) | |
| Bioresmethrin | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Wheat | 1.00 |
| | | Wheat flour | 1.00 |
| Buprofezin | 1.1.1 | Milk | 0.01 |
| | 4.1.1.1 | Crude fresh Fruits | |
| | | Almond | 0.05 |
| | | Apple | 3.00 |
| | | Banana | 0.30 |
| | | Cherry, all types | 2.00 |
| | | Citrus fruits | 1.00 |
| | | Grape | 1.00 |
| | | Mango | 0.10 |
| | | Nectarine | 9.00 |
| | | Olive | 5.00 |
| | | Peach | 9.00 |
| | | Pears | 6.00 |
| | | Plums and prunes | 2.00 |
| | | Strawberry | 3.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 4.1.1.2 | Dry fruits | |
| | | Dry grapes (currant, raisins, and sultana) | 2.00 |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit top milk | pping, and coconut |
| | | Citrus fruit pulp, dry | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | , and seeds |
| | | Tomato | 1.00 |
| | | Fruiting vegetable, cucurbit | 0.70 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | pieced game meat |
| | | Edible offal of mammalian animals | 0.05 |
| | | Mammalian meat (except marine animals) | 0.05 |
| | 12.2 | Herbs, spices, season | ings |
| | | Peppers | 2.00 |
| | | Peppers chili | 10.00 |
| | | Peppers chili, dried | 10.00 |
| | 14.1.5 | Tea, Green | 30.00 |
| Cadusafos | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.01 |
| Carbaryl | 1.1.1 | Milk | 0.05 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Maize oil, crude | 0.10 |
| | | Olive oil, virgin | 25.00 |
| | | Sunflower seed oil, unrefined | 0.05 |
| | | Soybean oil, unrefined | 0.20 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Citrus fruits | 15.0 |
| | | Cranberry | 5.00 |
| | | Olive | 30.0 |
| | 4.2.1.1 | Crude fresh vegetable, nuts, | |
| | | Asparagus | 15.0 |
| | | Beet | 0.10 |
| | | Eggplant | 1.00 |
| | | Carrot | 0.50 |
| | | Sweet corn | 0.10 |
| | | Tomato | 5.00 |
| | | Turnip | 1.00 |
| | | Sunflower seed | 0.20 |
| | | Tree nut | 1.00 |
| | 4.2.2 | Processed vegetabl | |
| | | Soybean (dry) | 0.20 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Polished rice | 1.00 |
| | | Sorghum | 10.00 |
| | | Maize | 0.02 |
| | | Wheat | 2.00 |
| | | Sweet potato | 0.02 |
| | 6.2 | Flour and Starch | · |
| | | Wheat flour | 0.20 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Mammalian animal meat (except | 0.05 |
| | | marine animals) | |
| | | Cattle, goat and sheep kidney | 3.00 |
| | | Cattle, goat and sheep liver | 1.00 |
| Carbaryl | 12.2 | Herbs, spices, and seasor | ings |
| · | | Peppers, sweet | 5.00 |
| | | Peppers chili | 0.50 |
| | | Peppers chili, dried | 2.00 |
| | | Spices, fruits and berries | 0.80 |
| | | Spices, roots and rhizomes | 0.10 |
| | 14.1.2.2 | Canned or bottled (pasteurized) vegetable juice | |
| | | Tomato juice | 3.00 |
| | 14.1.2.4 | Condensed (liquid or solid) vege | table juice |
| | | Tomato paste | 10.0 |
| Carbofuran | 2.1.3 | Fat, tallow. Fish oil and other a | nimal fat |
| | | Cattle, goat and sheep fat | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | · |
| | | Banana | 0.01 |
| | | Orange, sweet, sour (including orange | 0.50 |
| | | type hybrid fruit), and mandarin | |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit toppin | ĩ |
| | | Citrus type fruit pulp, dried | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | |
| | | Rapeseed | 0.05 |
| | | Sugar beet | 0.20 |
| | | Sunflower seed | 0.10 |
| | | Cotton seed | 0.10 |
| | 4.2.2.2 | Dry vegetable, seaweeds, nuts | |
| | | Coffee bean | 1.00 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | | Rice husked | 0.10 |
| | | Sorghum | 0.10 |
| | | Maize | 0.05 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|---------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Cattle, goat and sheep meat | 0.05 |
| | | Edible offal of cattle, goat and sheep | 0.05 |
| | 12.2 | Herbs, spices, seasonin | gs |
| | | Spices, roots and rhizomes | 0.10 |
| | 16 | Compound or mixed food (example: n meat) which is excluded from food | |
| | | Sugar cane | 0.10 |
| Carbosulfan | 4.1.1.1 | Crude fresh fruits | |
| | | Mandarin | 0.10 |
| | | Orange, sweet, sour (hybrid fruits like | 0.10 |
| | | orange) | |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit toppin | g and coconut milk |
| | | Citrus type fruit pulp, dry | 0.10 |
| Carbosulfan | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Sugar beet | 0.30 |
| | | Cotton seeds | 0.05 |
| | 6.1 | 6.1 Whole, grinded, or flake cereal, includ | |
| | | Maize | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Poultry meat | 0.05 |
| | | Mammalian animal meat (except sea creature) | 0.05 |
| | | Edible offal of mammalian animal | 0.05 |
| | | Edible offal of poultry | 0.05 |
| | 10.1 | Egg | 0.05 |
| | 12.2 | Herbs, spices and season | |
| | | Spices, fruits and berries | 0.07 |
| | | Spices, roots and rhizomes | 0.10 |
| Chloropyrifos | 1.1.1 | Cattle, goat and sheep milk | 0.02 |
| | 2.1.2 | Vegetable oil and fat | • |
| | | Soybean oil, refined | 0.03 |
| | | Cotton seed oil, edible | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | · |
| | | Almond | 0.05 |
| | | Banana | 2.00 |
| | | Cranberry | 1.00 |
| | | Citrus fruit | 1.00 |
| | | Grape | 0.50 |
| | | Pome fruit | 1.00 |
| | | Peach | 0.50 |
| | | Plums and prunes | 0.50 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Strawberry | 0.30 |
| | | Walnut | 0.05 |
| | 4.1.2.2 | Dry fruits | |
| | | Grape, dry (currants, raisins and sultana) | 0.10 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Broccoli | 2.00 |
| | | Cabbage, head | 1.00 |
| | | Chinese cabbage | 1.00 |
| | | Cabbage | 0.05 |
| | | Common bean pods and/ or immature seeds | 0.01 |
| | | Peas, pods and succulent immature seeds | 0.01 |
| | | Carrot | 0.10 |
| | | Potato | 2.00 |
| | | Sugar beet | 0.05 |
| | | Sweet corn | 0.01 |
| | | Cotton seeds | 0.30 |
| Chlorpyrifos | 4.2.2.2 | Dry vegetables, seaweeds, nuts and seeds | |
| eniorpyrnos | 7.2.2.2 | Soybean(dry) | 0.10 |
| | | Coffee bean | 0.05 |
| | 6.1 | Whole, grinded, or cereal flakes, in | |
| | 0.1 | Rice | 0.50 |
| | | Maize | 0.05 |
| | | Sorghum | 0.50 |
| | | Wheat | 0.50 |
| | | Wheat flour | 0.10 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | 0.1.1 | Cattle meat | 1.00 |
| | | Poultry meat | 0.01 |
| | | Sheep meat | 1.00 |
| | | Cattle kidney | 0.01 |
| | | Cattle liver | 0.01 |
| | | Edible offal of poultry | 0.01 |
| | | Edible offal of sheep | 0.01 |
| | 10.1 | - | 0.01 |
| | 12.2 | Egg Herbs, spices, seasoning | |
| | 12.2 | | 2.00 |
| | | Peppers, sweet | |
| | | Peppers chili, dried | 20.0 |
| | | Spices, fruits and berries | 1.00 |
| | | Spices, roots and rhizomes | 1.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|---------------------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Spices, seeds | 5.00 |
| | | Onion, tuber | 0.20 |
| | 14 | Tea, green, black (black, fermented and dry) | 2.00 |
| Chlorofenapyr | 4.1.1.1 | Crude fresh fruits | |
| | | Acerola | 99.0 |
| Cyfluthrin/betacyfluthrin | 1.1.1 | Milk | 0.01 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Cotton seed oil, unrefined | 1.00 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.10 |
| | | Citrus fruit | 0.30 |
| | | Pears | 0.10 |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit topping | g and coconut milk |
| | | Citrus fruit pulp, dry | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Cabbage, head | 0.08 |
| | | Cabbage | 2.00 |
| | | Eggplant | 0.20 |
| Cyfluthrin/betacyfluthrin | 4.2.1.1 | Potato | 0.01 |
| , . , | | Tomato | 0.20 |
| | | Cotton seeds | 0.70 |
| | | Rape seed | 0.07 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts and seeds | |
| | | Soybean (dry) | 0.03 |
| | 8.1.1 | Fresh meat, poultry, and whole or pieced game meat | |
| | | Edible offal of mammalian animal | 0.02 |
| | | Edible offal of poultry | 0.01 |
| | | Meat of mammalian animal (except | 0.20 |
| | | sea creature) | |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices and season | |
| | | Pepper | 0.20 |
| | | Peppers chili, dried | 1.00 |
| | | Spices, fruits and berries | 0.03 |
| | | Spices, roots and rhizomes | 0.05 |
| Cyhexatin | 4.1.1.1 | Crude fresh fruits | |
| <i>c</i> , | | Apple | 0.20 |
| | | Currant (black, red, white) | 0.10 |
| | | Grape | 0.30 |
| | | Orange, sweet, sour (including orange- | 0.20 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|------------------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | like hybrid fruits) | |
| | | Pears | 0.20 |
| | 12.2 | Herbs, spices, seasonir | g |
| | | Peppers chili, dried | 5.00 |
| Cypermethrin including | 1.1 | Milk | 0.05 |
| alpha and | 2.1.2 | Vegetable oil and fat | |
| zetacypermethrin | | Olive oil, refined | 0.50 |
| | | Olive oil, virgin | 0.50 |
| | 2.1.3 | Fat, tallow, fish oil, and other a | nimal fats |
| | | Milk fat | 0.50 |
| | | Poultry fat | 0.10 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Carambola | 0.20 |
| | | Citrus fruits | 0.30 |
| | | Durian | 1.00 |
| | | Grape | 0.20 |
| | | Litchi | 2.00 |
| | | Longan | 1.00 |
| | | Mango | 0.70 |
| | | Olive | 0.05 |
| | | Рарауа | 0.50 |
| | | Pome fruit | 0.70 |
| | | Grapefruit and pomelo or sarbati | 0.50 |
| | | lemons (including hybrids0 | 0.50 |
| | | Stone fruit | 2.00 |
| | | Strawberry | 0.07 |
| | 4.1.2.2 | Dry fruits | 0.07 |
| | 111.2.2 | Grapes, dry (currant, raisins, and | 0.50 |
| | | sultana) | 0.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, a | and seeds |
| | | Artichoke, globe | 0.10 |
| | | Asparagus | 0.40 |
| | | Brassica (cole or cabbage) vegetables, | 1.00 |
| | | head cabbage, flower head brassicas | 1.00 |
| | | Fruiting vegetables, cucurbits | 0.07 |
| | | Eggplant | 0.03 |
| | | Spinach | 0.70 |
| | | Leaks | 0.05 |
| | | Legume vegetables | 0.70 |
| | | Okra | 0.50 |
| | | Tomato | 0.20 |
| | | | |
| | | Root and tuber vegetables | 0.01 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Pulses | 0.05 |
| | | Sugar beet | 0.10 |
| | | Tree nuts | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nut | s, and seeds |
| | | Coffee beans | 0.05 |
| | | Oil seed | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereals | , including rice |
| | | Barley | 2.00 |
| | | Cereal grains | 0.30 |
| | | Oats | 2.00 |
| | | Rice | 2.00 |
| | | Rye | 2.00 |
| | | Wheat | 2.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | |
| | | Meat (mammalian animals, except | 2.00 |
| | | marine animals) | |
| | | Poultry meat | 0.10 |
| | | Edible offal of poultry | 0.05 |
| | | Edible offal of mammalian animals | 0.05 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, and seaso | nings |
| | | Peppers, sweet | 0.10 |
| | | Peppers chili, dried | 10.0 |
| | | Onion, bulb | 2.00 |
| | | Spices, fruits, and berries | 0.01 |
| | | Spices, roots, and rhizomes | 0.20 |
| | 14.1.5 | Tea, green, black (black, fermented, and dried) | 15.0 |
| | 16 | Compound or mixed food (example: meat) which are excluded from foo | • • • |
| | | Sugarcane | 0.20 |
| Deltamethrin | 1.1.1 | Milk | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.20 |
| | | Citrus fruits | 0.02 |
| | | Grapes | 0.20 |
| | | Nectarine | 0.05 |
| | | Olive | 1.00 |
| | | Peaches | 0.05 |
| | | Plums including prunes | 0.05 |
| | | Strawberry | 0.20 |
| | | Walnuts | 0.02 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, | and seeds |
| | | Carrot | 0.02 |
| | | Flower head brassica vegetables (including broccoli, Chinese brassica and cauliflower) | 0.10 |
| | | Fruiting vegetables, cucurbits | 0.20 |
| | | Hazelnut | 0.02 |
| | | Spinach | 2.00 |
| | | Leaks | 0.20 |
| | | Legume vegetables | 0.20 |
| | | Mushroom | 0.05 |
| | | Potato | 0.01 |
| | | Radish | 0.01 |
| | | Sweet corn | 0.02 |
| | | Tomato | 0.30 |
| | | Pulses | 1.00 |
| | | Sunflower seed | 0.05 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | 0.1 | Cereal grains | 2.00 |
| | 6.2 | Flours and starches | |
| | 0.2 | Wheat flour | 2.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | 0.1.1 | Meat (mammalian animals, except marine animals) | 0.50 |
| | | Poultry meat | 0.10 |
| | | Cattle, goat and sheep kidney | 0.03 |
| | | Cattle, goat and sheep liver | 0.03 |
| | | Edible offal of poultry | 0.02 |
| Deltamethrin | 10.1 | Egg | 0.02 |
| Deltametini | 12.2 | Herbs, spices, and seaso | |
| | | Spices, fruits and berries | 0.03 |
| | | Spices, roots and rhizomes | 0.50 |
| | | Onion, bulb | 0.05 |
| | 14.1.5 | Tea, green, black (black, fermented, and dry) | 5.00 |
| Diazinon | 1.1.1 | Milk | 0.02 |
| - | 4.1.1.1 | Crude fresh fruits | |
| | | Almond | 0.05 |
| | | Blackberry | 0.10 |
| | | Cherry | 1.00 |
| | | Cranberry | 0.20 |
| | | Currant (black, red, white) | 0.20 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Kiwi fruit | 0.20 |
| | | Peaches | 0.20 |
| | | Pineapple | 0.10 |
| | | Plums (including prunes) | 1.00 |
| | | Pome fruit | 0.30 |
| | | Prunes | 2.00 |
| | | Raspberry, red, black | 0.20 |
| | | Strawberry | 0.10 |
| | | Walnuts | 0.01 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, a | ind seeds |
| | | Broccoli | 0.50 |
| | | Cabbage, head | 0.50 |
| | | Chinese cabbage | 0.05 |
| | | Cantallowupe | 0.20 |
| | | Carrot | 0.50 |
| | | Cucumber | 0.10 |
| | | Garden peas, shelled (succulent seed) | 0.20 |
| | | Common bean, pods and/ or | 0.20 |
| | | immature seeds) | |
| | | Kale | 0.05 |
| | | Kohlrabi | 0.20 |
| | | Lettuce head and lettuce leaf | 0.50 |
| | | Potato | 0.01 |
| | | Radish | 0.10 |
| | | Spinach | 0.50 |
| | | Spring onion | 1.00 |
| | | Squash, summer | 0.05 |
| | | Sugar beet | 0.10 |
| | | Sweet corn | 0.02 |
| Diazinon | | Tomato | 0.50 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Maize | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Chicken meat | 0.02 |
| | | Goat meat | 2.00 |
| | | Cattle and sheep meat | 2.00 |
| | | Cattle, goat and sheep kidney | 0.03 |
| | | Cattle, goat and sheep liver | 0.03 |
| | | Edible offal of poultry | 0.02 |
| | 10.1 | Chicken egg | 0.02 |
| | 12.2 | Herbs, spices, seasonings | |
| | | Peppers, sweet | 0.05 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Peppers chili, dried | 0.50 |
| | | Spices, fruits and berries | 0.10 |
| | | Spies, roots and rhizomes | 0.50 |
| | | Spices, seeds | 5.00 |
| | | Onion, tuber | 0.05 |
| Dimethoate | 1.1.1 | Cattle, goat and sheep milk | 0.05 |
| | 2.1.3 | Fats, tallow, fish oil, and other a | nimal fats |
| | | Mammalian animal fats (except dairy) | 0.05 |
| | | Poultry fats | 0.05 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Cherry | 2.00 |
| | | Citrus fruit | 5.00 |
| | | Mango | 1.00 |
| | | Olive | 0.50 |
| | | Pears | 1.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, a | |
| | 7.2.1.1 | Artichoke, globe | 0.05 |
| | | Asparagus | 0.05 |
| | | Brussel sprouts | 0.20 |
| | | Cabbage, savoy | 0.05 |
| | | Cauliflower | 0.20 |
| | | | |
| | | Potato | 0.05 |
| | | Celery | 0.50 |
| | | Lettuce, head | 0.30 |
| | | Peas, pods and succulent immature seeds | 1.00 |
| | | Sugar beet | 0.05 |
| | | Turnip, green | 1.00 |
| | | Turnip, garden | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | | Barley | 2.00 |
| Dimethoate | 6.1 | Wheat | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Poultry meat | 0.05 |
| | | Cattle, goat and sheep meat | 0.05 |
| | | Edible offal of cattle animals | 0.05 |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of sheep | 0.05 |
| | 10.1 | Egg | 0.05 |
| | 12.2 | Herbs, spices, seasonir | |
| | | Peppers, sweet | 0.50 |
| | 1 | | 0.50 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Spices, fruits and berries | 0.50 |
| | | Spices, roots and rhizomes | 0.10 |
| | | Spice, seed | 5.00 |
| Emamectin Benzoate | 1.1.1 | Milk | 0.002 |
| | 2.1.3 | Fat, tallow, fish oil and other a | nimal fat |
| | | Mammalian animal fat (except dairy) | 0.02 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Grape | 0.03 |
| | | Nectarine | 0.03 |
| | | Peach | 0.03 |
| | | Pome fruit | 0.02 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | ind seeds |
| | | Bean, except broad beanand soybean | 0.01 |
| | | Fruiting vegetables, except cucurbit | 0.02 |
| | | Fruiting vegetables, cucurbits | 0.007 |
| | | Lettuce, head | 1.00 |
| | | Lettuce, leaf | 0.70 |
| | | Green mustard | 0.20 |
| | | Rape seed | 0.005 |
| | | Cotton seed | 0.002 |
| | | Tree nut | 0.001 |
| | 8.1.1 | Fresh meat, poultry, and whole or pieced game meat | |
| | 0.111 | Edible offal of mammalian animal | 0.08 |
| | | Meat of mammalian animals (except | 0.004 |
| | | marine animals) | |
| | 12.2 | Herbs, spices and seasor | ning |
| | | Peppers chili, dried | 0.20 |
| Esfenvalerate | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Tomato | 0.10 |
| | | Cotton seed | 0.05 |
| | | Rape seed | 0.01 |
| | 6.1 | Whole, grinded, or cereal flakes, i | |
| | ••• | Wheat | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Edible offal of poultry | 0.01 |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| Ethion | 12.2 | Herbs, spices, seasonir | |
| Ethion | -2.2 | Spices, fruits, and berries | 5.00 |
| | | Spices, roots and rhizomes | 0.30 |
| | | Spices, seeds | 3.00 |
| Etofenprox | 1.1.1 | Milk | 0.02 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|---------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.60 |
| | | Grape | 4.00 |
| | | Nectarine | 0.60 |
| | | Peach | 0.60 |
| | | Pear | 0.60 |
| | 4.1.2.2 | Dry fruits | |
| | | Dry grape (currant, raisin and sultana) | 8.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Rape seed | 0.01 |
| | 4.2.2.2 | Dry vegetables, seaweed, nut and seed | |
| | | Bean(dry) | 0.05 |
| | 6.1 | Whole, grinded, or cereal flakes, ir | ncluding rice |
| | | Maize | 0.05 |
| | | Rice | 0.01 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Edible offal of poultry | 0.01 |
| | | Edible offal of mammalian animal | 0.05 |
| | | Meat of mammalian animal (except | 0.50 |
| | | marine animals) | |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| Fenitrothion | 1.1.1 | Milk | 0.01 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.50 |
| | 4.2.2.2 | Dried vegetables, seaweed, nuts | and seeds |
| | | Soybean (dry) | 0.01 |
| | 6.1 | Whole, grinded, or cereal flakes, in | ncluding rice |
| | | Cereal grain | 6.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Edible offal of mammalian animal | 0.05 |
| | | Meat of mammalian animal | 0.05 |
| | | Poultry meat | 0.05 |
| | 10.1 | Egg | 0.05 |
| | 12.2 | Herbs, spices, seasonin | g |
| | | Spices, fruits and berry | 1.00 |
| | | Spices, roots and rhizome | 0.10 |
| | | Spices, seed | 7.00 |
| Fenpropathrin | 1.1.1 | Milk | 0.01 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Citrus oil, edible | 100.0 |
| | 2.1.3 | Fat, Tallow, Fish oil and other a | nimal fat |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Poultry fat | 0.01 |
| | | Mammalian animal fat (except dairy) | 0.03 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Pome fruit | 5.00 |
| | | Citrus type fruit | 2.00 |
| | | Prunes | 3.00 |
| | | Plums and prunes | 1.00 |
| | | Strawberry | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Tomato | 1.00 |
| | | Tree nuts | 0.15 |
| | 4.2.2.2 | Dry vegetables, seaweed, nuts a | and seeds |
| | | Coffee bean | 0.03 |
| | | Soybean, dry | 0.01 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Edible offal of mammalian animal | 0.01 |
| | | Edible offal of poultry | 0.01 |
| | | Meat of mammalian animal (except | 0.01 |
| | | marine animals) | |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasonin | |
| | | Pepper | 1.00 |
| | | Peppers chili, dried | 10.0 |
| | 14.1.5 | Tea, green, black (black, fermented | 3.00 |
| | | and dry) | |
| Fenthion | 2.1.2 | Vegetable oil and fat | |
| | | Olive oil, virgin | 1.00 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Cherry | 2.00 |
| | | Citrus type food | 2.00 |
| | | Olive | 1.00 |
| | 6.1 | Whole, grinded, or flaked cereals, i | ncluding rice |
| | | Rice, husked | 0.05 |
| Fenvalerate | 1.1.1 | Milk | 0.10 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Mango | 1.50 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Broccoli, Chinese | 3.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Edible offal of mammalian animals | 0.02 |
| | | Mammalian animal meat (except | 1.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|------------------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | marine animals) | |
| | 12.2 | Herbs, spices, seasonings | |
| | | Spices, fruit and berry | 0.03 |
| | | Spices, roots and rhizomes | 0.05 |
| Fipronil | 1.1.1 | Cattle milk | 0.02 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Banana | 0.005 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Brassica vegetables (including broccoli and cauliflower) | 0.02 |
| | | Cabbage, head | 0.02 |
| | | Potato | 0.02 |
| | | Sugar beet | 0.20 |
| | | Sunflower seed | 0.002 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | 0.1 | Barley | 0.002 |
| | | Maize | 0.002 |
| | | | 0.002 |
| | | Oats Rice | 0.002 |
| | | | 0.002 |
| | | Rye | |
| | | Triticale | 0.002 |
| | 0.1.1 | Wheat | 0.002 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | | Cattle meat | 0.50 |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry animals | 0.02 |
| | | Cattle kidney | 0.02 |
| | 10.1 | Cattle liver | 0.10 |
| The base of the second | 10.1 | Egg | 0.02 |
| Flubendiamide | 1.1.1 | Milk | 0.10 |
| | 2.1.3 | Fats, tallow, fish oil and other a | |
| | | Milk fat | 5.00 |
| | 4.1.1.1 | Crude fresh fruits | 2.00 |
| | | Grape | 2.00 |
| | | Pome fruit | 0.80 |
| | | Stone fruit | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | |
| | | Brassica vegetables, cabbage, flower head brassica vegetables | 4.00 |
| | | Celery | 5.00 |
| | | Fruiting vegetables, cucurbits | 0.20 |
| | | Legume vegetables | 2.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Lettuce, leaf | 7.00 |
| | | Lettuce, head | 5.00 |
| | | Pulses | 1.00 |
| | | Sweet corn | 0.02 |
| | | Tomato | 2.00 |
| | | tree nut | 0.20 |
| | | Cotton seed | 1.50 |
| | 6.1 | Whole, grinded, or flaked cereals, i | ncluding rice |
| | | Maize | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Mammalian animal meat (except | 2.00 |
| | | marine animals) | |
| | | Edible offal of mammalian animals | 1.00 |
| | 12.2 | Herbs, spices, seasoning | gs |
| | | Peppers | 0.70 |
| | | Peppers chili, dried | 7.00 |
| | 14.1.5 | Tea, green, black (black, fermented, and dry) | 50.00 |
| Imidacloprid | 1.1.1 | Milk | 0.10 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.50 |
| | | Apricot | 0.50 |
| | | Banana | 0.05 |
| | | Berry and other small fruits | 5.00 |
| | | Sweet cherry | 0.50 |
| | | Citrus fruits | 1.00 |
| | | Cranberry | 0.05 |
| | | Grape | 1.00 |
| | | Mango | 0.20 |
| | | Melon and watermelon | 0.20 |
| | | Nectarine | 0.50 |
| | | Peaches | 0.50 |
| | | Pears | 1.00 |
| | | Plum including prunes | 0.20 |
| | | Pomegranate | 1.00 |
| | | Strawberry | 0.50 |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit topping | g and coconut milk |
| | | Citrus fruit pulp, dried | 10.0 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Bean, except broad bean and soybean | 2.00 |
| | | Broccoli | 0.50 |
| | | Brussel sprout | 0.50 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Imidacloprid | 4.2.1.1 | Cabbage, head | 0.50 |
| | | Cauliflower | 0.50 |
| | | Celery | 6.00 |
| | | Cucumber | 1.00 |
| | | Eggplant | 0.20 |
| | | Leaks | 0.05 |
| | | Lettuce, head | 2.00 |
| | | Peas, pods and succulent, immature seeds | 5.00 |
| | | Peas, shelled, succulent seeds | 2.00 |
| | | Root and tuber vegetables | 0.50 |
| | | Radish spinach | 5.00 |
| | | Rapeseed | 0.05 |
| | | Squash, summer | 1.00 |
| | | Sweet corn | 0.02 |
| | | Tomato | 0.50 |
| | | Pulses | 2.00 |
| | | Tree nut | 0.01 |
| | | Sunflower seed | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nut | |
| | | Coffee bean | 1.00 |
| | | Peanuts | 1.00 |
| | 6.1 | Whole, grinded, or flaked cereals | |
| | | Cereal grains | 0.05 |
| | 6.2 | Flour and starches | |
| | 0.2 | Wheat flour | 0.03 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | |
| | | Mammalian animal meat (except marine animals) | 0.10 |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of mammalian animals | 0.30 |
| | | Poultry meat | 0.02 |
| | 10.1 | Egg | 0.02 |
| | 12.2 | Herbs, spices, seasoni | |
| | | Peppers | 1.00 |
| | | Peppers chili, dried | 10.0 |
| | | Onion, bulb | 0.10 |
| Indoxacarb | 1.1.1 | Milk | 0.10 |
| | 2.1.3 | Fats, tallow, fish oil, and other | |
| | 2.1.5 | Milk fat | 2.00 |
| | 4.1.1.1 | Crude fresh fruit | 2.00 |
| | 7.1.1.1 | Apple | 0.50 |
| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Grape | 2.00 |
| | | Cranberry | 1.00 |
| | | Pears | 0.20 |
| | | Prune | 3.00 |
| | | Stone fruit | 1.00 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grape (currant, raisins, sultana) | 5.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | and seeds |
| | | Broccoli | 0.20 |
| | | Cabbage, head | 3.00 |
| | | Cauliflower | 0.20 |
| | | Eggplant | 0.50 |
| | | Fruiting vegetables, cucurbits | 0.50 |
| | | Lettuce, head | 7.00 |
| | | Lettuce leaf | 3.00 |
| | | Potato | 0.02 |
| | | Sweet corn | 0.02 |
| | | Tomato | 0.50 |
| | | Cotton seed | 1.00 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nut | |
| | | Chickpea (dry) | 0.20 |
| | | Split & skinned green gram, yellow | 0.20 |
| | | lentils (dry) | |
| | | Soybean (dry) | 0.50 |
| | | Peanut | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | | Edible offal of poultry animals | 0.01 |
| | | Edible offal of mammalian animals | 0.05 |
| | | Mammalian animal meat (except marine animals) | 2.00 |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.02 |
| | 12.2 | Herbs, spices, seasonii | |
| | | Pepper | 0.30 |
| | | Mint | 15.0 |
| | 14.1.5 | Tea, green, black (black, fermented and dry) | 5.00 |
| Malathion | 2.1.2 | Vegetable oil and fat | .s |
| | | Cotton seed oil, crude | 13.0 |
| | | Cotton seed oil, edible | 13.0 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.50 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Blueberry | 10.0 |
| | | Cherry, all types | 3.00 |
| | | Citrus fruits | 7.00 |
| | | Grape | 5.00 |
| | | Strawberry | 1.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Asparagus | 1.00 |
| | | Bean, except broad bean and soybean | 1.00 |
| Malathion | 4.2.1.1 | Cucumber | 0.20 |
| | | Spinach | 3.00 |
| | | Spring onion | 5.00 |
| | | Sweet corn | 0.02 |
| | | Tomato | 0.50 |
| | | Turnip, green | 5.00 |
| | | Turnip, garden | 0.20 |
| | | Cotton seed | 20.0 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | |
| | | Dry bean | 2.00 |
| | 6.1 | Whole, grinded, or flaked cereals, including rice | |
| | 0.1 | Maize | 0.05 |
| | | Sorghum | 3.00 |
| | | Wheat | 10.0 |
| | | Wheat flour | 0.20 |
| | 12.2 | Herbs, spices, seasoning | |
| | 12.2 | Pepper | 0.10 |
| | | Peppers chili, dried | 1.00 |
| | | Spices, fruit and berry | 1.00 |
| | | Spices, roots and rhizomes | 0.50 |
| | | Spices, seeds | 2.00 |
| | | Green mustard | 2.00 |
| | | Onion, bulb | 1.00 |
| | 14.1.2.2 | Canned or bottled (pasteurized) ve | |
| | 14.1.2.2 | Tomato juice | 0.01 |
| Mathomy | 111 | Milk | 0.01 |
| Methomyl | 1.1.1 2.1.2 | Vegetable oil and fats | |
| | 2.1.2 | | |
| | | Soybean oil, crude | 0.20 |
| | | Soybean oil, refined | 0.20 |
| | | Cotton seed oil, edible | 0.04 |
| NA-21 | | Maize oil, edible | 0.02 |
| Methomyl | 4.1.1.1 | Crude fresh fruits | 0.00 |
| | | Apple | 0.30 |
| | | Citrus fruit | 1.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Nectarine | 0.20 |
| | | Grape | 0.30 |
| | | Peach | 0.20 |
| | | Pers | 0.30 |
| | | Plums (including prunes) | 1.00 |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit toppin | g and coconut milk |
| | | Citrus fruit pulp, dried | 3.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Asparagus | 2.00 |
| | | Bean, except broad bean and soybean | 1.00 |
| | | Common beans: pods and/ or | 1.00 |
| | | immature seeds) | |
| | | Fruiting vegetables, cucurbits | 0.10 |
| | | Lettuce, head | 0.20 |
| | | Lettuce, leaf | 0.20 |
| | | Peas, pods and succulent immature | 5.00 |
| | | seeds | |
| | | Potato | 0.02 |
| | | Tomato | 1.00 |
| | | Cotton seed | 0.20 |
| | | Rapeseed | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Bean (dry) | 0.05 |
| | | Soybean (dry) | 0.20 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Barley | 2.00 |
| | | Maize | 0.02 |
| | | Wheat | 2.00 |
| | | Wheat flour | 0.03 |
| | | Oats | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | | Edible offal of poultry animals | 0.02 |
| | | Edible offal of mammalian animals | 0.02 |
| | | Mammalian animal meat (except | 0.02 |
| | | marine animals) | |
| | | Poultry meat | 0.02 |
| | 10.1 | Egg | 0.02 |
| | 12.2 | Herbs, spices, seasonin | |
| | | Peppers | 0.70 |
| | | Onion, tuber | 0.20 |
| | | Mint hay | 0.50 |
| | | Peppers chili, dried | 10.0 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Spices, fruits and berries | 0.07 |
| Oxydemeton- Methyl | 1.1.1 | Milk | 0.01 |
| | 2.1.3 | Fat, tallow, fish oil and other | animal fat |
| | | Cattle fat | 0.05 |
| | | Poultry fat | 0.05 |
| | | Sheep fat | 0.05 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Lemon | 0.20 |
| | | Pear | 0.05 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | and seeds |
| | | Cauliflower | 0.01 |
| | | Kale | 0.01 |
| | | Kohlrabi | 0.05 |
| | | Potato | 0.01 |
| Oxydemeton-Methyl | 4.2.1.1 | Starch beet | 0.01 |
| , , , | | Cotton seed | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweed, nut | |
| | | Ordinary beans (dry) | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereals, including rice | |
| | | Barley | 0.02 |
| | | Rye | 0.02 |
| | | Wheat | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | pieced game meat |
| | | Cattle and sheep meat | 0.05 |
| | | Poultry meat | 0.05 |
| | 10.1 | Egg | 0.05 |
| Permethrin | 2.1.2 | Vegetable oil and fa | at |
| | | Cotton sed oil, edible | 0.10 |
| | | Soybean oil, crude | 0.10 |
| | | Sunflower oil, edible | 1.00 |
| | | Sunflower oil, crude | 1.00 |
| | 4.1.1.1 | Crude fresh fruits | • |
| | | Almond | 0.10 |
| | | Blackberry | 1.00 |
| | | Gooseberry | 2.00 |
| | | Currants, black, red, white | 2.00 |
| | | Citrus type fruit | 0.50 |
| | | Grapes | 2.00 |
| | | Kiwi fruit | 2.00 |
| | | Melon | 0.10 |
| | | Olive | 1.00 |
| | | Pome fruit | 2.00 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Pistachio | 0.05 |
| | | Raspberry, red, black | 1.00 |
| | | Stone fruit | 2.00 |
| | | Strawberry | 1.00 |
| Permethrin | 4.2.1.1 | Crude fresh vegetables, nu | its and seeds |
| | | Asparagus | 1.00 |
| | | Broccoli | 2.00 |
| | | Common beans: Pods and/or immature seeds | 1.00 |
| | | Brussels sprout | 1.00 |
| | | Cabbage, head | 5.00 |
| | | Cabbage, savoy | 5.00 |
| | | Chinese cabbage | 5.00 |
| | | Carrot | 0.10 |
| | | Cauliflower | 0.50 |
| | | Celery | 2.00 |
| | | Cucumber | 0.50 |
| | | Eggplant | 1.00 |
| | | Cauliflower | 5.00 |
| | | Horseradish | 0.50 |
| | | Kohlrabi | 0.10 |
| | | Leek | 0.50 |
| | | Lettuce, head | 2.00 |
| | | Mushroom | 0.10 |
| | | Peas, shelled (succulent seeds) | 0.10 |
| | | Potato | 0.05 |
| | | Radish, Japanese | 0.10 |
| | | Spinach | 2.00 |
| | | Onion spring | 0.50 |
| | | Gherkin | 0.50 |
| | | Squash, winter | 0.50 |
| | | Squash, summer | 0.50 |
| | | Sugar beet | 0.05 |
| | | Sweet corn | 0.10 |
| | | Tomato | 1.00 |
| | | Corn seed | 0.50 |
| | | Rape seed | 0.05 |
| | | Sunflower seed | 1.00 |
| | 4.2.2.2 | Dry vegetables, seaweed, n | uts and seeds |
| | | Coffee bean | 0.05 |
| | | Peanuts | 0.10 |
| | | Soybean (dry) | 0.05 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Cereal grains | 2.00 |
| | | Wheat flour | 0.50 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Edible offal of mammalian animals | 0.10 |
| | | Meat of edible mammalian animals | 1.00 |
| | | (except marine animals) | |
| | | Poultry meat | 0.10 |
| | 10.1 | Egg | 0.10 |
| | 12.2 | Herbs, spices, seasoning | |
| | | Spices | 0.05 |
| | | Pepper | 1.00 |
| | | Peppers chili, Dried | 10.0 |
| | 14.1.5 | Tea, green, black (black, fermented and dry) | 20.0 |
| Phenthoate | 12.2 | Herbs, spices, seasonir | lg |
| | | Spices, seeds | 7.00 |
| Pirimiphos-Methyl | 1.1.1 | Milk | 0.01 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Mango | 0.20 |
| | | Mangosteen | 10.0 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | 10.0 |
| | | Tomato | 10.0 |
| | | Cotton seeds | 3.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | 0.1.1 | Edible offal of mammalian animals | 0.01 |
| | | Meat of mammalian animal (except | 0.01 |
| | | marine animals) | 0.01 |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry | 0.01 |
| | 10.1 | | 0.01 |
| | 10.1 | Egg Herbs, spices, seasonir | |
| | 12.2 | • | Č |
| | | Spices, fruits and berries Spices, seeds | 0.50 |
| Drofonactas | 1 1 1 | | 3.00 |
| Profenosfos | 1.1.1 | Milk Crude freeh fruite | 0.01 |
| | 4.1.1.1 | Crude fresh fruits | 0.00 |
| | | Mango | 0.20 |
| | | Mangosteen | 10.0 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, a | |
| | | Tomato Cotton seeds | 10.0 |
| | | | 3.0 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|----------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Edible offal of mammalian animals | 0.05 |
| | | Mammalian animal meat(except | 0.05 |
| | | marine animals) | |
| | | Poultry meat | 0.05 |
| | | Edible offal of poultry | 0.05 |
| | 10.1 | Egg | 0.02 |
| | 12.2 | Spices, herbs, seasoning | gs |
| | | Chili | 3.00 |
| | | Peppers chili, dried | 20.0 |
| | | Spices, fruits and berries | 0.07 |
| | | Spices, roots and rhizomes | 0.05 |
| | 14.1.5 | Tea, green, black (black, fermente | d, and dried) |
| | | Tea and herbal tea | 0.50 |
| Spirotetramate | 1.1.1 | Milk | 0.005 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Bush berry | 1.50 |
| | | Cranberry | 0.20 |
| | | Citrus fruit | 0.50 |
| | | Grape | 2.00 |
| | | Kiwi fruit | 0.02 |
| | | Litchi | 15.0 |
| | | Mango | 0.30 |
| | | Papaya | 0.40 |
| Spirotetramate | 4.1.1.1 | Pome fruit | 0.70 |
| · | | Prunes | 5.00 |
| | | Stone fruit | 3.00 |
| | 4.1.2.2 | Dry fruits | |
| | | Dry grapes (currant, raisin and sultana) | 4.00 |
| | | Grape pomace, Dry | 4.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Artichoke, globe | 1.00 |
| | | Cabbage, head | 2.00 |
| | | Celery | 4.00 |
| | | Spinach | 7.00 |
| | | Legume type vegetable | 1.50 |
| | | Flower head brassicas (broccoli, | 1.00 |
| | | Chinese and cauliflower) | |
| | | Fruity vegetables, cucurbits | 0.20 |
| | | Fruity vegetables, others except | 1.00 |
| | | cucurbit | |
| | | Potato | 0.80 |
| | | Tree nuts | 0.50 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Pulse | 2.00 |
| | 4.2.2.2 | Dry vegetables, sea weeds, nuts | and seeds |
| | | Cotton seeds | 0.40 |
| | | Soybean (dry) | 4.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Edible offal of poultry | 0.01 |
| | | Edible offal of mammalian animal | 1.00 |
| | | Meat of mammalian animal (except | 0.05 |
| | | marine animals) | |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasonin | |
| | | Chili | 2.00 |
| | | Onion, tuber | 0.40 |
| | | Chili, dried | 15.0 |
| Thiacloprid | 1.1.1 | Milk | 0.05 |
| Indelopita | 4.1.1.1 | Crude fresh fruits | |
| | 7.1.1.1 | Berry and other small fruits | 1.00 |
| | | Melon and water melon | 0.20 |
| | | Pome fruit | 0.20 |
| | | Stone fruit | 0.50 |
| | | Kiwi fruit | 0.20 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | |
| | 4.2.1.1 | Crude fresh vegetables, huts a | |
| | | | 0.30 |
| | | Eggplant | 0.70 |
| | | Potato | |
| | | Squash, summer | 0.30 |
| | | Squash, winter | 0.20 |
| | | Tomato | 0.50 |
| | | Tree nut | 0.02 |
| | | Cotton seed | 0.02 |
| | | Mustard seed | 0.50 |
| | | Rape seed | 0.50 |
| | 6.1 | Whole, grided, or cereal flakes, in | |
| | | Rice | 0.02 |
| | | Wheat | 0.10 |
| | 8.1.1 | Fresh meat, poultry, and whole or | |
| | | Edible offal of mammalian animal | 0.50 |
| | | Edible offal of poultry | 0.02 |
| | | Meat of mammalian animal (except marine animals) | 0.10 |
| | | Poultry meat | 0.02 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|--------------|--------------------|---------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 10.1 | Egg | 0.02 |
| | 12.2 | Herbs, spices, seasonir | ng |
| | | Chili, sweet | 1.00 |
| Thiamethoxam | 1.1.1 | Milk | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.02 |
| | | Mango | 0.20 |
| | | Berry and other small fruits | 0.50 |
| | | Citrus type fruits | 0.50 |
| | | Pome fruit | 0.30 |
| | | Pineapple | 0.01 |
| | | Stone fruit | 1.00 |
| | | Рарауа | 0.01 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | |
| | | Artichoke, globe | 0.50 |
| | | Avocado | 0.50 |
| | | Brassica type vegetables, cabbage, | 5.00 |
| | | brassica type flower headed vegetable | |
| | | Beans (except broad bean and | 0.30 |
| | | soybean) | |
| | | Celery | 1.00 |
| | | Fruity vegetables, except cucurbit | 0.70 |
| | | Fruiting vegetables, cucurbit | 0.50 |
| | | Spinach | 3.00 |
| | | Legume type vegetables | 0.01 |
| | | Roots and tuber type vegetables | 0.30 |
| | | Pulse | 0.04 |
| | | Sweet corn | 0.01 |
| | | Oil seed | 0.02 |
| | 4.2.2.2 | Dry vegetables, seaweed, nuts | |
| | | Coffee bean | 0.20 |
| | | Cocoa beans | 0.02 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | | Barley | 0.40 |
| Thiamethoxam | 6.1 | Corn | 0.05 |
| | | Maize | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Edible offal of mammalian animal | 0.01 |
| | | Meat of mammalian animals (except | 0.02 |
| | | marine animals) | 0.02 |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry | 0.01 |

| Insectiside | Codex food code | Name of food items | Highest tolerable level (PPM) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herb, spices, seasoning | 5 |
| | | Peppers, chili, dried | 7.00 |
| | | Mint | 1.50 |
| | 14.1.5 | Tea, green, black (black, fermented and dry) | 20.0 |
| | 16 | Compound or mixed food (example: n meat) which is excluded from cat | |
| | | Popcorn | 0.01 |
| Triazophos | 2.1.2 | Tree oil and fat | |
| | | Cotton seed oil, unrefined | 1.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Cotton seeds | 0.20 |
| | | Soybean (immature seeds) | 0.50 |
| | | Soybean (young pods) | 1.00 |
| | 6.1 | Whole, grinded, flaked cereals, in | cluding rice |
| | | Rice, polished | 0.60 |
| | 12.2 | Spices, fruits and berries | 0.07 |
| | | Spices, roots and rhizomes | 0.10 |

Schedule- 8 Fungicides Residue

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|--------------|--------------------|--------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Azoxystrobin | 1.1.1 | Milk | 0.01 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Maize oil, edible | 0.10 |
| | 2.1.3 | Fat, tallow, fish oil and other | animal fat |
| | | Dairy fat | 0.03 |
| | 4.1.1.1 | Crude fresh fruit | |
| | | Banana | 2.00 |
| | | Berry and other small fruits | 5.00 |
| | | Carambola | 0.10 |
| | | Citrus fruits | 15.0 |
| | | Cranberry | 0.50 |
| | | Grape | 2.00 |
| | | Mango | 0.70 |
| | | Рарауа | 0.30 |
| | | Stone fruit | 2.00 |
| | | Strawberry | 10.0 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | and seeds |
| | | Artichoke, globe | 5.00 |
| | | Asparagus | 0.01 |
| | | Brassica vegetables, cabbage, flower | 5.00 |
| | | head brassica vegetables | |
| | | Bulb vegetables | 10.0 |
| | | Celery | 5.00 |
| | | Fruiting vegetables, except cucurbit | 3.00 |
| | | Fruiting vegetables, cucurbit | 1.00 |
| | | Legume vegetables | 3.00 |
| | | Lettuce, leaf | 3.00 |
| | | Lettuce, head | 3.00 |
| | | Plantain | 2.00 |
| | | Potato | 7.00 |
| | | Pistachio nuts | 1.00 |
| | | Pulses | 0.07 |
| | | Root and tuber vegetables | 1.00 |
| | | Tree nuts | 0.01 |
| | | Sunflower seeds | 0.50 |
| | | Cotton seeds | 0.70 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | |
| | | Coffee beans | 0.03 |
| | | Peanuts | 0.20 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|--------------|--------------------|---------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Soybean, dry | 0.50 |
| | 6.1 | Whole, grinded, or flaked cereal, | including rice |
| | | Barley | 1.50 |
| | | Maize | 0.02 |
| Azoxystrobin | 6.1 | Oats | 1.50 |
| | | Sorghum | 10.0 |
| | | Rye | 0.20 |
| | | Rice | 5.00 |
| | | Triticale | 0.20 |
| | | Wheat | 0.20 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Mammalian animal meat (except | 0.05 |
| | | marine animals) | |
| | | Poultry meat | 0.01 |
| | | Edible offal of poultry animals | 0.01 |
| | | Edible offal of mammalian animals | 0.07 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasoning | |
| | | Dried herbs | 300.0 |
| | | Herbs | 70.0 |
| | | Peppers chili, dried | 30.0 |
| Benalaxyl | 4.1.1.1 | Crude fresh fruits | |
| | | Grape | 0.30 |
| | | Watermelon | 0.10 |
| | | Melons except watermelon | 0.30 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Lettuce, head | 1.00 |
| | | Potato | 0.02 |
| | | Tomato | 0.20 |
| | 12.2 | Herbs, spices, seasonir | ng |
| | | Onion, bulb | 0.02 |
| Carbendazim | 1.1.1 | Milk | 0.05 |
| | 2.1.3 | Fats, tallow, fish oil and other a | nimal fats |
| | | Chicken fat | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apricot | 2.00 |
| | | Banana | 0.20 |
| | | Orange, sweet, sour (including hybrid | 1.00 |
| | | oranges), various species | |
| | | Berry and other small fruits | 1.00 |
| | | Cherry | 10.0 |
| | | Grape | 3.00 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|----------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Mango | 5.00 |
| | | Nectarine | 2.00 |
| | | Peaches | 2.00 |
| | | Pineapple | 5.00 |
| | | Plums (including prunes) | 0.50 |
| | | Pome fruit | 3.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Asparagus | 0.20 |
| | | Brussel sprouts | 0.50 |
| | | Carrot | 0.20 |
| | | Common peas (pods and/or immature seeds) | 0.50 |
| | | Cucumber | 0.05 |
| | | Garden pea, shelled (succulent seeds) | 0.02 |
| | | Gherkin | 0.05 |
| | | Lettuce, head | 5.00 |
| | | Peanuts | 0.10 |
| | | Soybean (dry) | 0.50 |
| | | Rye | 0.10 |
| | | Squash, summer | 0.50 |
| | | Sugar beet | 0.10 |
| | | Tomato | 0.50 |
| | | Tree nuts | 0.10 |
| | | Rapeseed | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Coffee bean | 0.10 |
| | | Bean (dried) | 0.50 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Rice, husked | 2.00 |
| | | Barley | 0.50 |
| | | Wheat | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Cattle animal meat | 0.05 |
| | | Poultry meat | 0.05 |
| | | Edible offal of mammalian animals | 0.05 |
| | 10.1 | Egg | 0.05 |
| | 12.2 | Herbs, spices, seasonin | gs |
| | | Peppers chili | 2.00 |
| | | Peppers chili, dried | 20.0 |
| | | Spices, fruits and berries | 0.10 |
| | | Spices, roots and rhizomes | 0.10 |
| Difenoconazole | 1.1.1 | Milk | 0.02 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|----------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.10 |
| | | Cherry | 0.20 |
| | | Citrus fruits | 0.60 |
| | | Nectarine | 0.50 |
| | | Grape | 3.00 |
| | | Mango | 0.07 |
| | | Melons, except watermelon | 0.70 |
| | | Olive | 2.00 |
| | | Рарауа | 0.20 |
| | | Passionfruit | 0.05 |
| | | Pome fruit | 0.80 |
| | | Peach | 0.50 |
| | | Plums (including prunes) | 0.20 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, and sultana) | 6.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Asparagus | 0.03 |
| | | Beans, except broad beans and | 0.70 |
| | | soybean | |
| | | Brassica (Cole or cabbage) vegetables, | 2.00 |
| | | head cabbage, flower head brassicas | |
| | | Carrot | 0.20 |
| | | Celery | 3.00 |
| | | Cucumber | 0.20 |
| | | Leek | 0.30 |
| Difenoconazole | | Fruiting vegetables, cucurbits | 0.60 |
| | | Gherkin | 0.20 |
| | | Lettuce, head and leaf | 2.00 |
| | | Peas, pods and succulent and | 0.70 |
| | | immature seeds | |
| | | Potato | 4.00 |
| | | Spring onion | 9.00 |
| | | Squash, summer | 0.20 |
| | | Sugar beet | 0.20 |
| | | Tree nuts | 0.03 |
| | | Rapeseed | 0.05 |
| | | Sunflower seed | 0.02 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | |
| | | Soybean (dry) | 0.02 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|--------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Wheat | 0.02 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Edible offal of poultry animals | 0.01 |
| | | Edible offal of mammalian animals | 1.50 |
| | | Mammalian animal meat, except marine animals | 0.20 |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.03 |
| | 12.2 | Herbs, spices, seasonir | g |
| | | Garlic | 0.02 |
| | | Ginseng | 0.08 |
| | | Ginseng, dried (including red ginseng) | 0.20 |
| | | Ginseng, extracts | 0.60 |
| | | Onion, bulb | 0.10 |
| | | Peppers chili, dried | 5.00 |
| Dimethomorph | 1.1.1 | Milk | 0.01 |
| • | 4.1.1.1 | Crude fresh fruits | |
| | | Grapes | 3.00 |
| | | Pineapple | 0.01 |
| | | Strawberry | 0.50 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, and sultana) | 5.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Artichoke, globe | 2.00 |
| | | Broccoli | 4.00 |
| | | Bean, shelled | 0.70 |
| | | Cabbage, head | 6.00 |
| | | Celery | 15.0 |
| | | Kohlrabi | 0.02 |
| | | Fruiting vegetables, cucurbits | 0.50 |
| | | Fruiting vegetables, except cucurbits | 1.50 |
| | | Peas, shelled (succulent seeds) | 0.15 |
| | | Spinach | 30.0 |
| | | Lettuce, head | 10.0 |
| | | Spring onion | 9.00 |
| | | Potato | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | |
| | | Edible offal of poultry animals | 0.01 |
| | | Edible offal of mammalian animals | 0.01 |
| | | Mammalian animal meat, except marine animals | 0.01 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Poultry meat | 0.01 |
| | 10.1 | Egg | 0.01 |
| | 12.2 | Herbs, spices, seasoni | ng |
| | | Peppers chili, dried | 5.00 |
| | | Garlic | 0.60 |
| | | Onion, bulb | 0.60 |
| | 15.1 | Corn salad | 10.0 |
| Flusilazole | 1.1.1 | Milk | 0.05 |
| | 2.1.2 | Vegetable oil and fat | S |
| | | Soybean oil, refined | 0.10 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apricot | 0.20 |
| | | Grape | 0.20 |
| | | Banana | 0.03 |
| | | Nectarine | 0.20 |
| | | Pome fruit | 0.30 |
| | | Peach | 0.20 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, and sultana) | 0.30 |
| | | Grape pomace, dry | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | |
| | | Sugar beet | 0.05 |
| | | Sweet corn | 0.01 |
| | | Rapeseed | 0.10 |
| | | Sunflower seed | 0.10 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | |
| | 7.2.2.2 | Soybean (dry) | 0.05 |
| | 6.1 | Whole, grinded, or flaked cereals, | |
| | 0.1 | Cereal grains | 0.20 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | |
| | 0.1.1 | Edible offal of poultry animals | 0.20 |
| | | Edible offal of mammalian animals | 2.00 |
| | | Mammalian animal meat, except | 1.00 |
| | | marine animals | |
| | | Poultry meat | 0.20 |
| | 10.1 | Egg | 0.10 |
| Iprodione | 4.1.1.1 | Crude fresh fruits | 1 |
| | | Almond | 0.20 |
| | | Blackberry | 30.0 |
| | | Cherry, all types | 10.0 |
| | | Grape | 10.0 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-----------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Kiwi fruit | 5.00 |
| | | Peach | 10.0 |
| | | Pome fruit | 5.00 |
| | | Raspberries, red, black | 30.0 |
| | | Strawberry | 10.0 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Broccoli | 25.0 |
| | | Carrot | 10.0 |
| | | Common peas (pods and/or immature seeds) | 2.00 |
| | | Lettuce, leaf | 25.0 |
| | | Lettuce, head | 10.0 |
| | | Cucumber | 2.00 |
| | | Rapeseed | 0.50 |
| | | Sugar beet | 0.10 |
| | | Tomato | 5.00 |
| | | Sunflower seed | 0.50 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Bean (dry) | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereals, | including rice |
| | | Barley | 2.00 |
| | | Rice, husked | 10.0 |
| | 12.2 | Herbs, spices, seasonin | g |
| | | Spices, roots and rhizomes | 0.10 |
| | | Spices, seeds | 0.05 |
| | | Onion, bulb | 0.20 |
| Metalaxyl | 4.1.1.1 | Crude fresh fruits | |
| | | Citrus fruits | 5.00 |
| | | Grape | 1.00 |
| | | Melons, except watermelon | 0.20 |
| | | Pome fruit | 1.00 |
| | | Raspberry, red, black | 0.20 |
| | | Watermelon | 0.20 |
| | | Avocado | 0.20 |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Asparagus | 0.05 |
| | | Broccoli | 0.50 |
| | | Brussel sprouts | 0.20 |
| | | Cabbage, head | 0.50 |
| | | Carrot | 0.05 |
| | | Cauliflower | 0.50 |
| | | Cucumber | 0.50 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|--------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Lettuce, head | 2.00 |
| | | Potato | 0.05 |
| | | Peas, (shelled, succulent seeds) | 0.05 |
| | | Spinach | 2.00 |
| | | Squash, summer | 0.20 |
| | | Squash, winter | 0.20 |
| | | Sugar beet | 0.05 |
| | | Tomato | 0.50 |
| | | Sunflower seed | 0.05 |
| | | Gherkin | 0.50 |
| | | Cotton seed | 0.05 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nu | ts and seeds |
| | | Soybean(dry) | 0.05 |
| | | Peanut | 0.10 |
| | | Cocoa beans | 0.20 |
| Metalaxyl | 6.1 | Whole, grinded or flaked cereals | |
| | _ | Cereal grains | 0.05 |
| | 12.2 | Herbs, spices. seasonings | |
| | | Peppers | 1.00 |
| | | Peppers chili, dried | 10.0 |
| | | Spices, seeds | 5.00 |
| | | Onions, bulb | 2.00 |
| Propamocarb | 1.1.1 | Milk | 0.01 |
| riopunicario | 2.1.3 | Fats, tallow, fish oil and other animal fats | |
| | 2.1.5 | Poultry fat | 0.01 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | |
| | 4.2.1.1 | Broccoli | 3.00 |
| | | Brussels sprout | 2.00 |
| | | Cauliflower | 2.00 |
| | | | 0.30 |
| | | Eggplant | 5.00 |
| | | Fruiting vegetables, Cucurbits | |
| | | Lettuce, head | 100.0 |
| | | Lettuce, leaf | 100.0 |
| | | Leek | 30.0 |
| | | Potato | 0.30 |
| | | Radish | 1.00 |
| | | Spinach | 40.0 |
| | 0.1.1 | Tomato | 2.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | |
| | | Edible offal of poultry animals | 0.01 |
| | | Edible offal of mammalian animals | 0.01 |
| | | Mammalian animal meat, except | 0.01 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|---------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | marine animals | |
| | | Poultry meat | 0.01 |
| | 10.1 | Eggs | 0.01 |
| | 12.2 | Herbs, spices, seasonir | ig |
| | | Peppers chili, sweet | 3.00 |
| | | Peppers chili, dried | 10.0 |
| | | Onion, bulb | 2.00 |
| Propiconazole | 1.1.1 | Milk | 0.01 |
| | 2.1.3 | Fat, tallow, fish oil and other a | nimal fats |
| | | Mammal animal fat (except dairy) | 0.01 |
| | 4.1.1.1 | Crude fresh fruits | • |
| | | Banana | 0.10 |
| | | Cranberry | 0.30 |
| | | Orange, Sweet, Sour (including orange | 9.00 |
| | | like hybrids): several cultivars | |
| | | Peach | 5.00 |
| | | Plums (including Prunes) | 0.60 |
| | | Pineapple | 0.02 |
| | 4.2.1.1 | Crude fresh vegetables, nuts, seeds | |
| | | Rapeseed | 0.02 |
| | | Sugar beet | 0.02 |
| | | Sweet corn | 0.05 |
| | | Tomato | 3.00 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Coffee bean | 0.02 |
| | | Soybean, dry | 0.07 |
| | 6.1 | Whole, grinded or flaked cereals i | ncluding rice |
| | | Barley | 0.20 |
| | | Maize | 0.05 |
| | | Rye | 0.02 |
| | | Triticale | 0.02 |
| | | Wheat | 0.02 |
| | | Popcorn | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Poultry meat | 0.01 |
| | | Mammalian animal meat, except | 0.01 |
| | | marine animals | |
| | | Edible offal of mammalian animals | 0.50 |
| | 10.1 | Eggs | 0.01 |
| | 16 | Compound or mixed food (meat pie, pieces) which are excluded in food | casserole, meat |
| | | Sugarcane | 0.02 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|----------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Pyraclostrobin | 1.1.1 | Milk | 0.03 |
| | 2.1.2 | Vegetable oil and fat | |
| | | Citrus oil, edible | 10.0 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 0.50 |
| | | Banana | 0.02 |
| | | Blackberry | 3.00 |
| | | Cherry (all kinds) | 3.00 |
| | | Citrus fruits | 2.00 |
| | | Grapes | 2.00 |
| | | Mango | 0.05 |
| | | Peach | 0.30 |
| | | Cantaloupe | 0.20 |
| | | Plums (including prunes) | 0.80 |
| | | Raspberry, red, black | 3.00 |
| | | Strawberry | 1.50 |
| | | Blueberry | 4.00 |
| | | Рарауа | 0.15 |
| Pyraclostrobin | 4.1.2.2 | Dry fruits | |
| | | Dry grapes (currant, raisins and sultana) | 5.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Artichoke, globe | 2.00 |
| | | Brussels sprouts | 0.30 |
| | | Cabbage, head | 0.20 |
| | | Carrot | 0.50 |
| | | Eggplant | 0.30 |
| | | Fruiting vegetables, cucurbits | 0.50 |
| | | Leek | 0.70 |
| | | Lettuce, head | 2.00 |
| | | Potato | 0.02 |
| | | Peas (pods and succulent, immature seeds) | 0.02 |
| | | Radish | 0.50 |
| | | Radish leaves (Including radish tops) | 20.0 |
| | | Spring onion | 1.50 |
| | | Sugar beet | 0.20 |
| | | Tomato | 0.30 |
| | | Pistachio nuts | 1.00 |
| | | Tree nuts | 0.02 |
| | | Kale | 1.00 |
| | | Flower head brassicas (includes | 0.10 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|----------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Broccoli: Broccoli, Chinese and cauliflower) | |
| | | Oil seeds, except peanut | 0.40 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nut | s and seeds |
| | | Bean (Dry) | 0.20 |
| | | Coffee bean | 0.30 |
| | | Lentils | 0.50 |
| | | Peas (Dry) | 0.30 |
| | | Soybeans (Dry) | 0.05 |
| | | Peanut, whole | 0.02 |
| Pyraclostrobin | 6.1 | Whole, grinded or flaked cereals | , including rice |
| | | Barley | 1.00 |
| | | Maize | 0.02 |
| | | Oats | 1.00 |
| | | Sorghum | 0.50 |
| | | Rye | 0.20 |
| | | Triticale | 0.20 |
| | | Wheat | 0.20 |
| | 8.1.1 | Fresh meat, poultry and whole or shredded meat | |
| | | Poultry meat | 0.05 |
| | | Mammalian animal meat, except | 0.50 |
| | | marine animals | |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of mammalian animals | 0.05 |
| | 10.1 | Eggs | 0.05 |
| | 12.2 | Herbs, spices, seasoning | |
| | | Pepper | 0.50 |
| | | Onion, Bulb | 1.50 |
| | | Garlic | 0.15 |
| Tebuconazole | 1.1.1 | Milk | 0.01 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Apple | 1.00 |
| | | Apricot | 2.00 |
| | | Banana | 0.05 |
| | | Cherry, (all kinds) | 4.00 |
| | | Grapes | 6.00 |
| | | Olive | 0.05 |
| | | Mango | 0.05 |
| Tebuconazole | | Melons, except watermelon | 0.15 |
| | | Nectarine | 2.00 |
| | | Peach | 2.00 |
| | | Pear | 1.00 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|--------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Plums (including prunes) | 1.00 |
| | | Prunes | 3.00 |
| | | Рарауа | 2.00 |
| | | Passion Fruit | 0.10 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, and sultana) | 7.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | and seeds |
| | | Artichoke, globe | 0.60 |
| | | Broccoli | 0.20 |
| | | Brussels sprout | 0.30 |
| | | Cabbage, head | 1.00 |
| | | Carrot | 0.40 |
| | | Cauliflower | 0.05 |
| | | Cucumber | 0.15 |
| | | Eggplant | 0.10 |
| | | Leek | 0.70 |
| | | Lettuce, head | 5.00 |
| | | Soybean, dried | 0.15 |
| | | Rapeseed | 0.30 |
| | | Squash, summer | 0.20 |
| | | Sweet corn | 0.60 |
| | | Tomato | 0.70 |
| | | Tree nuts | 0.05 |
| | | Cotton seed | 2.00 |
| Tebuconazole | 4.2.2.2 | Dry vegetables, seaweeds, nut | s and seeds |
| | | Bean (dry) | 0.30 |
| | | Coffee bean | 0.10 |
| | 6.1 | Whole, grinded, or flaked cereals, | , including rice |
| | | Barley | 2.00 |
| | | Oats | 2.00 |
| | | Rice | 1.50 |
| | | Rye | 0.15 |
| | | Triticale | 0.15 |
| | | Wheat | 0.15 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | |
| | | Poultry meat | 0.05 |
| | | Mammalian animal meat, except marine animals | 0.05 |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of mammalian animals | 0.20 |
| | 10.1 | Eggs | 0.05 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-----------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 12.2 | Herbs, spices, seasoni | ng |
| | | Peppers chili, sweet | 1.00 |
| | | Peppers chili, dried | 10.0 |
| | | Onion, bulb | 0.10 |
| | | Garlic | 0.10 |
| Tryfloxistrobin | 1.1.1 | Milk | 0.02 |
| | 2.1.2 | Vegetable oil and fa | t |
| | | Olive oil, refined | 1.20 |
| | | Olive oil, virgin | 0.90 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.05 |
| | | Citrus fruits | 0.50 |
| | | Grape | 3.00 |
| Tryfloxistrobin | | Olive | 0.30 |
| | | Рарауа | 0.60 |
| | | Pome fruit | 0.70 |
| | | Stone fruit | 3.00 |
| | | Strawberry | 1.00 |
| | 4.1.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, and sultana) | 5.00 |
| | 4.1.2.8 | Processed fruit pulp, puree, fruit topp milk | bings and coconut |
| | | Citrus pulp, dry | 1.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | |
| | | Asparagus | 0.05 |
| | | Brussels sprout | 0.10 |
| | | Cabbage head | 0.50 |
| | | Carrot | 0.10 |
| | | Celery | 1.00 |
| | | Eggplant | 0.70 |
| | | Leek | 0.70 |
| | | Flower head brassicas (includes | 0.50 |
| | | Broccoli, Chinese and cauliflower) | 0.50 |
| | | Fruiting vegetables, cucurbits | 0.30 |
| | | Lettuce, head | 15.0 |
| | | Potato | 0.02 |
| | | Radish | 0.02 |
| Tryfloxistrobin | | Radish leaves (including radish tops | 15.0 |
| Trynoxistroom | | Sugar beet | 0.05 |
| | | Tomato | 0.70 |
| | 1 | | 0.70 |

| Fungicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-----------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Peanuts | 0.02 |
| | | Sugar beet pulp, dry | 0.20 |
| | | Whole, grinded or flaked cereals, i | ncluding rice |
| | 6.1 | Barley | 0.50 |
| | | Maize | 0.02 |
| | | Rice | 5.00 |
| | | Wheat | 0.20 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | ced game meat |
| | | Edible offal of poultry animals | 0.04 |
| | | Cattle, goat and sheep kidney | 0.04 |
| | | Cattle, goat and sheep liver | 0.05 |
| | | Mammalian animal meat, except marine animals | 0.05 |
| | | Poultry meat | 0.04 |
| | 10.1 | Eggs | 0.04 |
| | 12.2 | Herbs, spices, seasonin | g |
| | | Peppers chili, sweet | 0.30 |

Schedule-9 Herbicides Residue

| (2,4- Dichlorophenoxyacetic acid) 4 | 2 1.1.1 1.1.1 1.1.1 | 3 Milk Crude fresh fruits Berries and other small fruits Citrus fruits Pome fruit Stone fruit | 4 0.01 0.10 1.00 0.01 |
|--|------------------------------|---|-----------------------------------|
| (2,4- Dichlorophenoxyacetic acid) 4 | .1.1.1 | Crude fresh fruits Berries and other small fruits Citrus fruits Pome fruit | 0.10 1.00 |
| Dichlorophenoxyacetic acid) 4 | | Berries and other small fruits Citrus fruits Pome fruit | 1.00 |
| acid) | .2.1.1 | Citrus fruits Pome fruit | 1.00 |
| 4 | .2.1.1 | Pome fruit | |
| | .2.1.1 | | 0.01 |
| | .2.1.1 | Stone fruit | 0.01 |
| | .2.1.1 | | 0.05 |
| 4 | | Crude fresh vegetables, nuts a | nd seeds |
| 4 | | Potatoes | 0.20 |
| 4 | | Rye | 2.00 |
| 4 | | Sweet Corn | 0.05 |
| 4 | | Tree nuts | 0.20 |
| | .2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Soybean, dry | 0.01 |
| | 6.1 | Whole, grinded or flaked cereals, i | including rice |
| | | Maize | 0.05 |
| | | Sorghum | 0.01 |
| | | Rice, husked | 0.10 |
| | | Wheat | 2.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Mammalian animal meat, except | 0.20 |
| | | marine animals | |
| | | Poultry meat | 0.05 |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of mammalian animals | 5.00 |
| | 10.1 | Eggs | 0.01 |
| | 16 | Compound or mixed food (example: M sliced meat) which are excluded from fo | • • • |
| | | Sugar cane | 0.05 |
| Dicamba | 1.1.1 | Milk | 0.20 |
| | 2.1.3 | Fats, tallow, fish oil and other a | |
| | | Poultry fat | 0.04 |
| | | Mammalian animal fats (except dairy fat) | 0.07 |
| 4 | .2.1.1 | Crude fresh vegetables, nuts a | ind seeds |
| | | Asparagus | 5.00 |
| | | Cotton seed | |
| | | | () () () () () |
| 4 | | Sweet corn (kernels) | 0.04 |

| Herbicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|----------------------|--------------------|--------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Soybean (dry) | 10.0 |
| | 6.1 | Whole, grinded, or flaked cereals | including rice |
| | | Barley | 7.00 |
| | | Maize | 0.01 |
| | | Wheat | 2.00 |
| | | Sorghum | 4.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | eced game meat |
| | | Edible offal of poultry animals | 0.07 |
| | | Edible offal of mammalian animals | 0.70 |
| | | Mammalian animal meat, except | 0.03 |
| | | marine animals | |
| | | Poultry meat | 0.02 |
| | 10.1 | Egg | 0.01 |
| | 16 | Compound or mixed food (example: N | |
| | | sliced meat) which are excluded from | • |
| | | Sugarcane | 1.00 |
| Glufosinate-Ammonium | 1.1.1 | Milk | 0.02 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Assorted tropical and sub- tropical | 0.10 |
| | | fruits (edible peel)) | |
| | | Assorted tropical and sub- tropical | 0.10 |
| | | fruits (inedible peel | |
| | | Banana | 0.20 |
| | | Blueberry | 0.10 |
| | | Currants, black, red, white | 1.00 |
| | | Gooseberry | 0.10 |
| | | Citrus fruits | 0.05 |
| | | Grape | 0.15 |
| | | Kiwifruit | 0.60 |
| | | Prunes | 0.30 |
| | | Raspberry, red, black | 0.10 |
| | | Pome fruit | 0.10 |
| | | Stone fruit | 0.15 |
| | | Strawberry | 0.30 |
| Glufosinate-Ammonium | 4.2.1.1 | Crude fresh vegetables, nuts | |
| | | Asparagus | 0.40 |
| | | Carrots | 0.05 |
| | | Common beans: pods and/or | 0.05 |
| | | immature seeds | 0.05 |
| | | Lettuce, head | 0.40 |
| | | Lettuce, leaf | 0.40 |
| | 1 | | 0.40 |

| Herbicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Sugar beet | 1.50 |
| | | Tree nuts | 0.10 |
| | | Cotton seed | 5.00 |
| | | Rapeseed | 1.50 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nut | ts and seeds |
| | | Coffee bean | 0.10 |
| | | Common bean (dry) | 0.05 |
| | | Soybean (dry) | 2.00 |
| | 6.1 | Whole, grinded, or flaked cereals | , including rice |
| | | Maize | 0.10 |
| | | Rice | 0.90 |
| | 8.1.1 | Fresh meat, poultry, and whole or p | pieced game meat |
| | | Edible offal of poultry animals | 0.10 |
| | | Edible offal of mammalian animals | 3.00 |
| | | Mammalian animal meat, except | 0.05 |
| | | marine animals | |
| | | Poultry meat | 0.05 |
| | 10.1 | Egg | 0.05 |
| | 12.2 | Herbs, spices, season | ing |
| | | Onion, Bulb | 0.05 |
| | 15.1 | Corn salad | 0.05 |
| Glyphosate | 1.1.1 | Milk | 0.05 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.05 |
| | 4.2.1.1 | Crude fresh vegetables, nuts | and seeds |
| | | Rapeseeds | 30.0 |
| | | Sugar Beet | 15.0 |
| | | Sweet corn | 3.00 |
| | | Sunflower seed | 7.00 |
| | | Cotton seed | 40.0 |
| | 4.2.2.2 | Dry vegetables, seaweed, nut | s and seeds |
| | | Pulse (dry) | 5.00 |
| | | Pea (dry) | 5.00 |
| | | Bean (dry) | 2.00 |
| | | Soybean (dry) | 20.00 |
| | 6.1 | Whole, grinded or flaked cerea | als, with rice |
| | | Cereal grains | 30.0 |
| | | Maize | 5.00 |
| | 8.1.1.1 | Fresh meat, poultry, and whole or p | |
| | | Poultry meat | 0.05 |
| | | Mammalian animal meat, except marine animals | 0.05 |

| Herbicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-----------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Edible offal of poultry animals | 0.50 |
| | | Edible offal of mammalian animals | 5.00 |
| | 10.1 | Egg | 0.05 |
| | 16 | Composed or mixed food (example: M | eat pie, casserole, |
| | | sliced meat) which are excluded from f | ood chart no. 1-15 |
| | | Sugarcane | 2.00 |
| MCPA | 1.1.1 | Milk | 0.04 |
| | 2.1.3 | Fat, tallow, fish oil and other a | nimal fats |
| | | Poultry fat | 0.05 |
| | | Mammalian animal fat (except dairy fat) | 0.20 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Peas (dry) | 0.01 |
| | | Flax seed | 0.01 |
| | 6.1 | Whole, grinded or flaked cereals, | including rice |
| | | Barley | 0.20 |
| | | Maize | 0.01 |
| | | Rye | 0.20 |
| | | Wheat | 0.20 |
| | | Triticale | 0.20 |
| | | Oats | 0.20 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | eced game meat |
| | | Edible offal of poultry animals | 0.05 |
| | | Edible offal of mammalian animals | 3.00 |
| | | Mammalian animal meat, except | 0.10 |
| | | marine animals | |
| | | Poultry meat | 0.05 |
| | 10.1 | Egg | 0.05 |
| Paraquat | 1.1.1 | Milk | 0.005 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Assorted tropical and sub- tropical fruits (inedible peel) | 0.01 |
| | | Berry and other small fruits | 0.01 |
| | | Citrus fruits | 0.02 |
| | | Olive | 0.10 |
| | | Pome fruit | 0.01 |
| | | Stone fruit | 0.01 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | |
| | | Fruiting Vegetables, except Cucurbits | 0.05 |
| | | Fruiting vegetables, Cucurbits | 0.02 |
| | | Spinach | 0.07 |
| | | Root and tuber vegetables | 0.05 |

| Herbicide | Codex food code | Name of food items | Highest tolerable level (ppm) |
|-----------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | | Pulse | 0.50 |
| | | Tree nuts | 0.05 |
| | | Sunflower seed | 2.00 |
| | | Cotton seed | 2.00 |
| | 6.1 | Whole, grinded or flaked cereals, | including rice |
| | | Maize | 0.03 |
| | | Sorghum | 0.03 |
| Paraquat | 6.1 | Rice | 0.05 |
| | | Corn flour | 0.05 |
| | 8.1.1 | Fresh meat, poultry, and whole or pi | eced game meat |
| | | Poultry meat | 0.005 |
| | | Mammalian animal meat, except marine animals | 0.005 |
| | | Edible offal of mammalian animals | 0.05 |
| | | Edible offal of poultry animals | 0.005 |
| | 10.1 | Egg | 0.005 |
| | 14.1.5 | Tea, green, black (black, fermented and dry) | 0.20 |

Schedule- 10 Miticide residue

| Miticide | Codex food code | Name of the food item | Highest tolerable level (ppm) |
|----------------|--------------------|--------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Bromopropylate | 4.1.1.1 | Citrus fresh fruits | |
| | | Citrus fruits | 2.00 |
| | | Grape | 2.00 |
| | | Melons, except watermelon | 0.50 |
| | | Plums including prunes | 2.00 |
| | | Pome fruits | 2.00 |
| | | Strawberry | 2.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | and seeds |
| | | Common beans (pods and/or | 3.00 |
| | | immature seeds) | |
| | | Cucumber | 0.50 |
| | | Squash, Summer | 0.50 |

Schedule- 11 Nematicide residue

| Nematicide | Codex food code | Name of the food item | Highest tolerable level (ppm) |
|------------|--------------------|---------------------------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Terbufos | 1.1.1 | Milk | 0.01 |
| | 4.1.1.1 | Crude fresh fruits | |
| | | Banana | 0.05 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Sugar beet | 0.02 |
| | | Sweet corn | 0.01 |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Coffee bean | 0.05 |
| | 6.1 | Whole, grinded or flaked cereals, i | ncluding rice |
| | | Maize | 0.01 |
| | | Sorghum | 0.01 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Edible offal of mammalian animals | 0.05 |
| | | Edible offal of poultry animals | 0.05 |
| | | Mammalian animal meat, except | 0.05 |
| | | marine animals | |
| | | Poultry meat | 0.05 |
| | 10.1 | Egg | 0.01 |

Schedule-12

Pesticide (used in stored food items) residue

| Pesticide | Codex food code | Name of the food item | Highest tolerable level (ppm) |
|----------------|--------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Methyl Bromide | 4.1.2.2 | Dried fruits | 2.00* |
| | | Dried fruits | 0.01** |
| | 4.2.1.1 | Crude fresh vegetables, nuts and seeds | |
| | | Tree nuts | 10.00* |
| | | Tree nuts | 0.01** |
| | 4.2.2.2 | Dry vegetables, seaweeds, nuts | and seeds |
| | | Cocoa beans | 5.00* |
| | | Peanut | 10.00* |
| | | Peanut | 0.01** |
| | 5 | Confectionary | |
| | 5.1.1 | Cocoa products | 0.01** |
| | 6.1 | Whole, grinded or flaked cereals, in | ncluding rice |
| | | Cereal grains | 5.00* |
| | | Milled cereal products | 1.00* |
| | | Milled cereal products | 0.01** |
| | 7 | Bakery wares | |
| | 7.1 | Bread | 0.01** |
| | 15.1 | Snacks- potato, cereal, flour or starch b | ased (from roots |
| | | and tubers, pulses and legu | mes) |
| | | Cooked cereal products | 0.01** |

*To apply at point of entry into a country and, incase of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before of retail sale or when offered for consumption **To apply to commodity at point of retail sale or when offered for consumption

Schedule- 13 Plant Growth Regulator Residue

| Plant Growth Regulator | Codex Food Code | Name of the Food Item | Highest Tolerable Level (ppm) |
|------------------------|--------------------|--|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Ethephone | 1.1.1 | Cattle, goat and sheep milk | 0.05 |
| | 4.2.1.1 | Crude fresh fruits | • |
| | | Apple | 5.00 |
| | | Blueberry | 20.00 |
| | | Cherry, all types | 10.00 |
| | | Cantaloupe | 1.00 |
| | | Grape | 1.00 |
| | | Pineapple | 2.00 |
| | | Walnuts | 0.50 |
| | | Figs, dried or dried and candied | 10.00 |
| | 4.2.1.1 | Crude fresh vegetables, nuts a | nd seeds |
| | | Tomato | 2.00 |
| | | Hazelnut | 0.20 |
| | | Cotton seed | 2.00 |
| | 4.2.2.2 | Dry fruits | |
| | | Dried grapes (currant, raisins, sultana) | 5.00 |
| | 6.1 | Whole, grinded or flaked cereals, | including rice |
| | | Barley | 1.00 |
| | | Rye | 1.00 |
| | | Wheat | 1.00 |
| | 8.1.1 | Fresh meat, poultry, and whole or pie | eced game meat |
| | | Cattle, goat and sheep meat | 0.10 |
| | | Poultry meat | 0.10 |
| | | Edible offal of poultry animals | 0.20 |
| | | Edible offal of cattle, goat and sheep | 0.20 |
| | 10.1 | Chicken Egg | 0.20 |
| | 12.2 | Herbs, Spices, seasonir | ° |
| | | Peppers | 5.00 |
| | | Peppers chili, dried | 50.00 |

| Schedule- 14 |
|--|
| Residue of Animal or Fish Disease Medicines |

| Name of the Medicine: | Codex | Name of the Food Item | Highest |
|-----------------------------------|-------|--|-----------------|
| Active compound for | food | | Tolerable Level |
| detecting residue | Code | | (ppm) |
| 1 | 2 | 3 | 4 |
| Albendazole. Residue: | 1.1.1 | Cattle milk | 0.1 |
| Albendazole-2- | 2.1.3 | Fat (unspecified) | 0.1 |
| Aminosulfone | 8.1.1 | Meat (unspecified) | 0.1 |
| | | Kidney (unspecified) | 5.0 |
| | | Liver (unspecified) | 5.0 |
| Amoxicillin. | 1.1.1 | Cattle and sheep milk | 0.004 |
| Residue: Amoxicillion | 2.1.3 | Cattle and sheep milk | 0.05 |
| | 8.1.1 | Cattle and sheep milk | 0.05 |
| | | Cattle and sheep kidney | 0.05 |
| | | Cattle and sheep liver | 0.05 |
| Ampicillin. | 1.1.1 | All animal milk, edible | 0.004 |
| Residue: Ampicillin | 2.1.3 | All animal fat, edible | 0.05 |
| | 8.1.1 | All animal meat, kidneys and liver, edible | 0.05 |
| Benzylpenicillin (Anti- | 1.1.1 | Cattle milk | 0.004 |
| microbial agent). | 8.1.1 | Cattle and chicken meat | 0.05 |
| Residue: Benzylpenicillin | | Cattle and chicken kidney | 0.05 |
| | | Cattle and chicken liver | 0.05 |
| Cefalexin. | 1.1.1 | Cattle milk | 0.1 |
| Residue: Cefalexin | 2.1.3 | Cattle fat | 0.2 |
| | 8.1.1 | Cattle meat and liver | 0.2 |
| | | Cattle liver | 1.0 |
| Ceftiofur. | 1.1.1 | Cattle milk | 0.1 |
| Residue: Desfuroyl ceftiofur | 2.1.3 | Cattle fat | 2.0 |
| | 8.1.1 | Cattle meat | 1.0 |
| | | Cattle kidney | 6.0 |
| | | Cattle liver | 2.0 |
| Chlortetracycline/ | 1.1.1 | Cattle and sheep milk | 0.1 |
| Oxytetracycline/ | 8.1.1 | Cattle, sheep and poultry meat | 0.2 |
| Tetracycline | | Cattle, sheep and poultry kidney | 1.2 |
| Residue: Chlortetracycline | | Cattle, sheep and poultry liver | 0.6 |
| | 10.1 | Poultry egg | 0.4 |
| Colistin. | 1.1.1 | Cattle and sheep milk | 0.05 |
| Residue: Sum of Colistin A & B | 2.1.3 | Cattle, sheep, goat, rabbit, turkey and | 0.15 |
| | 8.1.1 | chicken fat Cattle, sheep, goat, rabbit, turkey and chicken meat | 0.15 |
| | | Cattle, sheep, goat, rabbit, turkey and chicken kidney | 0.2 |

| Name of the Medicine: Active compound for | Codex food | Name of the Food Item | Highest Tolerable Level |
|---|---------------|---|----------------------------|
| detecting residue | Code | | (ppm) |
| 1 | 2 | 3 | 4 |
| | | Cattle, sheep, goat, rabbit, turkey and chicken liver | 0.15 |
| | 10.1 | Chicken egg | 0.3 |
| Dexamethasone. | 1.1.1 | Cattle milk | 0.0003 |
| Residue: Dexamethasone | 8.1.1 | Cattle meat | 0.001 |
| | | Cattle kidney | 0.001 |
| | | Cattle liver | 0.002 |
| Diclofenac | 1.1.1 | Cattle milk | 0.0001 |
| Residue: Diclofenac | 2.1.3 | Cattle fat | 0.001 |
| | 8.1.1 | Cattle meat and liver | 0.005 |
| | | Cattle kidney | 0.01 |
| Dicloxacillin. | 1.1.1 | Milk | 0.03 |
| Residue: Dicloxacillin | 2.1.3 | All animal fat, edible | 0.3 |
| | 8.1.1 | All animal meat, edible | 0.3 |
| | | All animal kidney, edible | 0.3 |
| | | All animal liver, edible | 0.3 |
| Doxycyclin | 2.1.3 | Poultry fat | 0.3 |
| Residue: Doxycyclin | 8.1.1 | Cattle and poultry meat | 0.1 |
| | | Cattle and poultry kidney | 0.6 |
| | | Cattle and poultry liver | 0.3 |
| Enrofloxacin. Residue- Sum | 1.1.1 | Cattle, goat and sheep milk | 0.1 |
| of Enrofloxacin & Ciprofloxacin | 2.1.3 | Fat of cattle, goats, sheep, rabbits and poultry | 0.1 |
| cipronoxacin | 8.1.1 | Meat of cattle, goats, sheep, rabbits and poultry | 0.1 |
| Enrofloxacin. Residue- Sum | | Cattle, goat and sheep kidney | 0.2 |
| of Enrofloxacin & | | Rabbit and poultry kidney | 0.3 |
| Ciprofloxacin | | Cattle, goat and sheep liver | 0.3 |
| · | | Rabbit and poultry liver | 0.2 |
| Erythromycin (antimicrobial | 1.1.1 | Milk | 0.04 |
| agent). | 2.1.3 | Fat of Turkey and Chicken | 0.1 |
| Residue- Erythromycin A | | All animal fat, edible | 0.2 |
| | 8.1.1 | Turkey and chicken meat | 0.1 |
| | 0.2.2 | All animal meat, edible | 0.2 |
| | | Turkey and chicken kidney | 0.1 |
| | | All animal kidney, edible | 0.2 |
| | | Turkey and chicken liver | 0.1 |
| | | All animal liver, edible | 0.2 |
| | 10.1 | Chicken egg | 0.05 |
| Sum of Fenbendazole, Oxfendazole and oxfendazole sulphone | 1.1.1 | Cattle and sheep milk | 0.1 |

| Name of the Medicine: Active compound for detecting residue | Codex food Code | Name of the Food Item | Highest Tolerable Level (ppm) |
|---|-----------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 2.1.3 | Cattle, sheep and goat fat | 0.1 |
| | 8.1.1 | Meat and kidney of cattle, sheep and goat | 0.1 |
| | | Liver of cattle, sheep and goat | 0.5 |
| Flumequine. Residue- | 2.1.3 | Fat of cattle, sheep and chicken | 1.0 |
| Flumequine | 8.1.1 | Meat and liver of cattle, sheep and chicken | 0.5 |
| | | Kidney of cattle, sheep and chicken | 3.0 |
| Gentamicin. Residue- | 1.1.1 | Cattle milk | 0.2 |
| Gentamicin | 2.1.3 | Cattle fat | 0.1 |
| | 8.1.1 | Cattle meat | 0.1 |
| | | Cattle kidney | 5.0 |
| | | Cattle liver | 2.0 |
| Imidocarb. Residue- | 1.1.1 | Cattle milk | 0.05 |
| Imidocarb | 2.1.3 | Cattle fat | 0.05 |
| | 8.1.1 | Cattle meat | 0.3 |
| | | Cattle kidney | 2.0 |
| | | Cattle liver | 1.5 |
| Ivermectin. Residue: 22,23- | 1.1.1 | Cattle milk | 0.01 |
| Dihydroavermectin B1a | 2.1.3 | Cattle liver | 0.04 |
| (H2B1a) | | Sheep fat | 0.02 |
| | 8.1.1 | All animal kidney, edible | 0.03 |
| | | Cattle liver | 0.1 |
| | | Sheep liver | 0.015 |
| Levamisole. | 2.1.3 | Cattle, sheep, poultry fat | 0.01 |
| Residue: Levamisole | 8.1.1 | Cattle, sheep, poultry meat and kidney | 0.01 |
| | | Cattle, sheep, and poultry liver | 0.1 |
| Lincomycin | 1.1.1 | All animal milk, edible | 0.15 |
| Residue: Lincomycin | 2.1.3 | All animal fat, edible | 0.05 |
| | 8.1.1 | All animal meat, edible | 0.1 |
| | | All animal kidney, edible | 1.5 |
| | | All animal liver, edible | 0.5 |
| | 10.1 | All animal egg, edible | 0.05 |
| Meloxicam. | 1.1.1 | Cattle and goat milk | 0.015 |
| Residue: Meloxicam | 8.1.1 | Cattle, goat and rabbit meat | 0.02 |
| | | Cattle, goat and rabbit kidneys and liver | 0.065 |
| Morantel. | 1.1.1 | All animal milk, edible | 0.05 |
| Residue: n-Methyl-1, 3- | 2.1.3 | All animal fat, edible | 0.1 |
| propanediamine | 8.1.1 | All animal meat, edible | 0.1 |
| | | All animal kidney, edible | 0.2 |
| | | All animal liver, edible | 0.8 |

| Name of the Medicine: Active compound for detecting residue | Codex food Code | Name of the Food Item | Highest Tolerable Level (ppm) |
|---|-----------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Neomycin. | 1.1.1 | Cattle milk | 1.5 |
| Residue: Neomycin | 2.1.3 | Cattle, goat, sheep, turkey, and poultry fat | 0.5 |
| | 8.1.1 | Cattle, goat, sheep, turkey, and poultry meat | 0.5 |
| | | Cattle, goat, sheep, turkey, and poultry kidney | 10.0 |
| | | Cattle, goat, sheep, turkey, and poultry liver | 0.5 |
| | 10.1 | Chicken egg | 0.5 |
| Nitoxinil. | 2.1.3 | Cattle and sheep fat | 0.2 |
| Residue: Nitoxinil | 8.1.1 | Cattle and sheep kidney | 0.4 |
| | | Cattle and sheep liver | 0.02 |
| Oxyclozanide. | 1.1.1 | All animal milk, edible | 0.01 |
| Residue: Oxyclozanide | 2.1.3 | All animal fat, edible | 0.02 |
| | 8.1.1 | All animal meat, edible | 0.02 |
| | | All animal kidney, edible | 0.1 |
| | | All animal liver, edible | 0.5 |
| Oxytetracycline: | 1.1.1 | All animal milk, edible | 0.1 |
| Residue: Sum of parent drug | 8.1.1 | All animal meat, edible | 0.1 |
| and its 4- epimer | | All animal kidney, edible | 0.6 |
| | | All animal liver, edible | 0.3 |
| | 10.1 | All edible egg | 0.2 |
| Piperazine Residue: Piperazine | 10.1 | Chicken egg | 2.0 |
| Prednisolone. | 1.1.1 | Cattle milk | 0.006 |
| Residue: Prednisolone | 2.1.3 | Cattle fat | 0.004 |
| | 8.1.1 | Cattle meat | 0.004 |
| | | Cattle kidney and liver | 0.01 |
| Streptomycin | 1.1.1 | All animal milk, edible | 0.2 |
| Residue: Streptomycin | 2.1.3 | All animal fat, edible | 0.5 |
| | 8.1.1 | All types of edible meat | 0.5 |
| | | All animal kidney, edible | 1.0 |
| | | All animal liver, edible | 0.5 |
| Sulfonamides (all substances | 1.1.1 | Cattle, goat and sheep milk | 0.1 |
| belonging to sulfonamide | 2.1.3 | All animal fat, edible | 0.1 |
| group) | 8.1.1 | All animal meat, kidney, and liver, edible | 0.1 |
| Sulfadimidine. | 1.1.1 | Cattle milk | 0.025 |
| Residue: Sulfadimidine | 2.1.3 | Fat (unspecified) | 0.1 |
| 1 | 8.1.1 | Meat, kidney and liver (unspecified) | 0.1 |
| Tiamulin. | 2.1.3 | Skin and fat of turkey and chicken | 0.1 |

| Name of the Medicine: Active compound for detecting residue | Codex food Code | Name of the Food Item | Highest Tolerable Level (ppm) |
|---|-----------------------|---|-------------------------------------|
| 1 | 2 | 3 | 4 |
| Residue: Sum of metabolites that may be hydrolysed to 8-α- hydroxymutilin | 8.1.1 | Turkey, chicken and rabbit meat | 0.1 |
| | | Chicken liver | 1.0 |
| | | Turkey liver | 0.3 |
| | | Rabbit liver | 0.5 |
| | 10.1 | Chicken egg | 1.0 |
| Tilmicosin. | 2.1.3 | Cattle and sheep fat | 0.1 |
| Residue: Tilmicosin | | Skin/ fat of turkey and chicken | 0.25 |
| | 8.1.1 | Cattle, turkey and sheep meat | 0.1 |
| | | Chicken meat | 0.15 |
| | | Cattle and sheep kidney | 0.3 |
| | | Chicken kidney | 0.6 |
| | | Turkey kidney | 1.2 |
| | | Cattle and sheep liver | 1.0 |
| | l | Turkey liver | 1.4 |
| | | Chicken liver | 2.4 |
| Tolfenamic acid. Residue: | 1.1.1 | Cattle milk | 0.05 |
| Tolfenamic acid | 8.1.1 | Cattle meat | 0.05 |
| | 0.111 | Cattle kidney | 0.1 |
| | | Cattle liver | 0.4 |
| Toltrazuril. Residue: | 2.1.3 | Skin/ fat of turkey and chicken | 0.2 |
| Toltrazuril sulfone | 2.1.5 | Other mammalian animal fats, edible | 0.15 |
| | 8.1.1 | Meat of turkey, chicken and other | 0.1 |
| | 0.1.1 | edible mammalian animals | 0.1 |
| | | Turkey and chicken kidney | 0.4 |
| | | Other mammalian animal kidney, | 0.25 |
| | | edible | 0.25 |
| | | Livers of Turkey and chicken | 0.6 |
| | | Other mammalian animal liver, edible | 0.5 |
| Trichlorfon- Residue: Trichlorfon | 1.1.1 | Cattle milk | 0.05 |
| Triclabendazole | 2.1.3 | Cattle and sheep fat | 0.1 |
| Residue: | 8.1.1 | Cattle meat | 0.25 |
| Ketotriclabendazole | 0.1.1 | Sheep meat | 0.2 |
| Retotriciabendazoie | | Cattle kidney | 0.2 |
| | | Sheep kidney | 0.4 |
| Triclabendazole | 8.1.1 | Cattle liver | 0.2 |
| Residue: | 0.1.1 | | 0.85 |
| Ketotriclabendazole | | Sheep liver | 0.5 |
| Tylosin | | Cattle milk | 0.1 |
| - | 2.1.3 | Skin and fat of cattle and chicken | 0.1 |
| Residue: Tylosin A | | | |
| | 8.1.1 | Meat, kidney, and liver of cattle and chicken | 0.1 |

| Name of the Medicine: Active compound for detecting residue | Codex food Code | Name of the Food Item | Highest Tolerable Level (ppm) |
|---|-----------------------|-----------------------|-------------------------------------|
| 1 | 2 | 3 | 4 |
| | 10.1 | Chicken eggs | 0.3 |

N. B. Highest amount for the presence has been indicated by the presence mentioned for chemical contaminant, toxin and harmful residue from schedule-1 to schedule-14.

By order of Bangladesh Food Safety Authority

Mohammad Mahfuzul Haque

Chairman

Printed by Md. Mojibor Rahman, Deputy Director (Add: Responsibilities), Bangladesh Government Printing press, Tejgaon. Published by Md. Alamgir Hossain, Deputy Director, Bangladesh Form and Publication office, Tejgaon, Dhaka. web site : www.bgpress.gov.bd

END TRANSLATION -

Attachments:

No Attachments.