

USDA Foreign Agricultural Service

# GAIN Report

Global Agricultural Information Network

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY  
USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT  
POLICY

Voluntary  Public

**Date:** 4/18/2012

**GAIN Report Number:** JA2009

## Japan

**Post:** Tokyo

### **New MRLs for Dimethametryn and other 26 substances**

**Report Categories:**

Sanitary/Phytosanitary/Food Safety

**Approved By:**

Jennifer Clever

**Prepared By:**

Suguru Sato

**Report Highlights:**

On April 17, 2012, the Government of Japan announced proposed changes to the MRLs for dimethametryn and 26 other substances. Please note that MHLW plans to delete MRLs of 24 among 26 substances. The current comment period for will close on May 1, 2012. After the domestic comment period closes, MHLW will then notify these proposed changes to the WTO/SPS committee, which will provide another opportunity to submit public comments on this subject.

**General Information:**

On April 17, 2012, the Government of Japan held a meeting for foreign diplomats in Tokyo to announce proposed changes to the MRLs for Demethametryn, Furametpyr and Thiamphenicol. GOJ also proposed the deletion of MRLs for 24 substances; 2,6-Difluorobenzoic acid, N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide, XMC, Azafenidin, Allidochlor, Isazofos, Ethiofencarb, Etrimfos, Cloprop, CPCBS (Chlorefenson), Dichlone, Cinosulfuron, Dimepiperate, Copper terephthalate, Trichlamide, Naproanilide, Halfenprox, Piperophos, Pyrifenox, Propaphos, Bromochloromethane, Hexaflumuron, Nalidixic acid and Parbendazole.

The period for sending comments on these changes ends May 1, 2012. If you have comments it is best to send directly to MHLW as soon as possible. However, MHLW will also notify these proposed changes to the WTO/SPS committee, which will provide another chance for public comments to be submitted on this subject. The actual WTO-SPS notifications can be found at the site below.

[http://www.wto.org/english/tratop\\_e/sps\\_e/work\\_and\\_doc\\_e.htm](http://www.wto.org/english/tratop_e/sps_e/work_and_doc_e.htm)

After the closing of a the comment period in the WTO, a final report will be made based on the conclusions of a session of the Pharmaceutical Affairs and Food Sanitation Council slated to be held at a later date; this will constitute the final decision.

The comments to GOJ can be either Japanese or English. GOJ point of contact for the comment is indicated below.

If you have comments, please send them directly to the Japanese Government at:

Ryouhei Shimizu, Mr.  
Standards and Evaluation Division,  
Department of Food Safety,  
Pharmaceutical and Food Safety Bureau,  
Ministry of Health, Labour and Welfare  
1-2-2, Chiyoda-ku, Kasumigaseki, Tokyo, 100-8916  
Tel: 03-5253-1111, ext. 2487  
Fax: 03-3501-4868  
Email; [shimizu-ryouhei@mhlw.go.jp](mailto:shimizu-ryouhei@mhlw.go.jp)

Please also consider copying the U.S. Embassy, Tokyo at [agtokyo@usda.gov](mailto:agtokyo@usda.gov) on your comments in order for them to be considered as part of the official U.S. Government comments to the WTO.

**Maximum Residue Limits for Agricultural Chemicals in Food**

The Ministry of Health, Labour and Welfare (MHLW) is going to newly develop compositional specifications for food in some compounds and withdraw the existing specifications for 24 compounds.

**Summary**

Under the provisions of Article 11, Paragraph 1 of the Food Sanitation Law, the Minister of Health, Labour and Welfare is authorized to establish residue standards (maximum residue limits: MRLs) for pesticides, feed additives, and veterinary drugs (hereafter referred to as just “agricultural chemicals”) that may remain in foods. Any food for which standards are established pursuant to the provisions is not permitted to be marketed in Japan unless it complies with the established standards.

On May 29, 2006, the MHLW introduced the positive list system for agricultural chemicals in food.\* Basically, all foods distributed in the Japanese marketplace are subject to regulation based on the system.

*Note: The positive list system was established based on the 2003 amendment of the Food Sanitation Law. The system aims to prohibit the distribution of any food in the Japanese marketplace if it contains agricultural chemicals at amounts exceeding a certain level (0.01 ppm) specified under the Law.*

### **Outline of revision**

#### A. Establishment of MRLs

The MHLW is going to newly establish MRLs (draft) for some food commodities and comprehensively review the current MRLs. This activity is targeted to two pesticides (Dimethametryn, Furametpyr) and one veterinary drug (Thiamphenicol). Details are given below.

**Dimethametryn** (herbicide): Permitted for use in Japan.

The Ministry of Agriculture, Forestry and Fisheries (MAFF) has asked the MHLW to set a residue standard for the fish-and-shellfish category. In response to MAFF’s request, the MHLW has decided to set the MRL for this category. In addition, the MHLW has reviewed the MRLs that had been established at the introduction of the positive list system.

**Furametpyr** (fungicide): Permitted for use in Japan.

MAFF has decided to expand the application of this compound to sugar beet. In addition, MAFF has asked the MHLW to set an MRL for the fish-and-shellfish category. In response to MAFF’s action, the MHLW has decided to set MRLs for these food categories. Also, the MHLW has reviewed the MRLs that had been established at the introduction of the positive list system.

**Thiamphenicol** (synthetic antibacterial): Permitted for use in Japan.

The MHLW has reviewed the MRLs that had been established at the introduction of the positive list system.

#### A. Withdrawal of existing MRLs

The MHLW has decided to withdraw all the existing MRLs for following 24 compounds, which had been provisionally established at the introduction of the positive list system. This is because these compounds are not registered or approved in Japan as applied for the production of agricultural products

and also MRLs for them are not established overseas.

24 compounds for which the existing MRL will be withdrawn

No	Substance Name	Japanese Name	Main Use P: Pesticide V: Veterinary drug
1	2,6-Difluorobenzoic acid	2,6-ジフルオロ安息香酸	P: Acaricide
2	<i>N</i> -(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide	<i>N</i> -(2-エチルヘキシル)-8,9,10-トリノルボルン-5-エン-2,3-ジカルボキシイミド	P: Synergist
3	XMC	XMC	P: Insecticide
4	Azafenidin	アザフェニジン	P: Herbicide
5	Allidochlor	アリドクロール	P: Herbicide
6	Isazofos	イサゾホス	P: Insecticide Nematicide
7	Ethiofencarb	エチオフェンカルブ	P: Insecticide
8	Etrimfos	エトリムホス	P: Insecticide
9	Cloprop	クロプロップ	P: Plant growth regulator
10	CPCBS (Chlorefenson)	クロルフェンソン	P: Acaricide
11	Dichlone	ジクロン	P: Fungicide
12	Cinosulfuron	シノスルフロン	P: Herbicide
13	Dimepiperate	ジメピペレート	P: Herbicide
14	Copper terephthalate	テレフタル酸銅	P: Fungicide
15	Trichlamide	トリクラミド	P: Fungicide
16	Naproanilide	ナプロアニリド	P: Herbicide
17	Halfenprox	ハルフェンプロックス	P: Acaricide Insecticide
18	Piperophos	ピペロホス	P: Herbicide
19	Pyrifenox	ピリフェノックス	P: Fungicide
20	Propaphos	プロパホス	P: Insecticide
21	Bromochloromethane	ブロモクロロメタン	P: Fumigant
22	Hexaflumuron	ヘキサフルムロン	P: Insecticide
23	Nalidixic acid	ナリジクス酸	V: Synthetic bacterial
24	Parbendazole	パルベンダゾール	V: Parasiticide

For compounds given in sections A and B, the uniform limit 0.01 ppm will be applied to

commodities for which MRLs are not set. When compounds are antibiotics or antibacterials, they shall not be included in any commodity unless MRLs are established for the commodity as stipulated in Item 1, Section A “General Compositional Standards for Food,” Part 1 “Food” of “Specifications and Standards for Food, Food Additives, Etc.” (Ministry of Health and Welfare Notification No. 370, 1959).

### Dimethametryn

Commodity	MRL (draft) ppm	MRL (current) ppm
Rice (brown rice)	0.05	0.1
Fish and shellfish	0.2	

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to commodities not listed above.

### Furametpyr

Commodity	MRL (draft) ppm	MRL (current) ppm
Rice (brown rice)	0.5	1
Wheat		0.1
Barley		0.1
Rye		0.1
Corn (maize, including pop corn and sweet corn)		0.1
Buckwheat		0.1
Other cereal grains		0.1
Soybeans, dry		0.1
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)		0.1
Peas		0.1
Broad beans		0.1
Peanuts, dry		0.1
Other legumes/pulses		0.1
Potato		0.1
Taro		0.1
Sweet potato		0.1
Yam		0.1
Konjac		0.1
Other potatoes		0.1
Sugar beet	0.2	0.1
Sugarcane		0.1

Japanese radish, roots (including radish)		0.1
Japanese radish, leaves (including radish)		0.1
Turnip, roots (including rutabaga)		0.1
Turnip, leaves (including rutabaga)		0.1
Horseradish		0.1
Watercress		0.1
Chinese cabbage		0.1
Cabbage		0.1
Brussels sprouts		0.1
Kale		0.1
<i>Komatsuna</i> (Japanese mustard spinach)		0.1
<i>Kyona</i>		0.1
Qing-geng-cai		0.1
Cauliflower		0.1
Broccoli		0.1
Other cruciferous vegetables		0.1
<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Burdock		0.1
Salsify		0.1
Artichoke		0.1
Chicory		0.1
Endive		0.1
<i>Shungiku</i>		0.1
Lettuce (including cos lettuce and leaf lettuce)		0.1
Other composite vegetables		0.1
Onion		0.1
Welsh (including leek)		0.1
Garlic		0.1
<i>Nira</i>		0.1
Asparagus		0.1
Multiplying onion (including shallot)		0.1
Other liliaceous vegetables		0.1
Carrot		0.1
Parsnip		0.1
Parsley		0.1
Celery		0.1
<i>Mitsuba</i>		0.1
Other umbelliferous vegetables		0.1
Tomato		0.1
Pimiento (sweet pepper)		0.1
Egg plant		0.1
Other solanaceous vegetables		0.1

Cucumber (including gherkin)		0.1
Pumpkin (including squash)		0.1
Oriental pickling melon (vegetable)		0.1
Water melon		0.1
Melons		0.1
<i>Makuwauri</i> melon		0.1
Other cucurbitaceous vegetables		0.1
Spinach		0.1
Bamboo shoots		0.1
Okra		0.1
Ginger		0.1
Peas, immature (with pods)		0.1
Kidney beans, immature (with pods)		0.1
Green soybeans		0.1
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Button mushroom		0.1
<i>Shiitake</i> mushroom		0.1
Other mushrooms		0.1
Other vegetables		0.1
<i>Unshu</i> orange, pulp		0.1
Citrus <i>natsudaidai</i> , whole		0.1
Lemon		0.1
Orange (including navel orange)		0.1
Grapefruit		0.1
Lime		0.1
Other citrus fruits		0.1
Apple		0.1
Japanese pear		0.1
Pear		0.1
Quince		0.1
Loquat		0.1
Peach		0.1
Nectarine		0.1
Apricot		0.1
Japanese plum (including prune)		0.1
Mume plum		0.1
Cherry		0.1
Strawberry		0.1
Raspberry		0.1
Blackberry		0.1
Blueberry		0.1
Cranberry		0.1

Huckleberry		0.1
Other berries		0.1
Grape		0.1
Japanese persimmon		0.1
Banana		0.1
Kiwifruit		0.1
Papaya		0.1
Avocado		0.1
Pineapple		0.1
Guava		0.1
Mango		0.1
Passion fruit		0.1
Date		0.1
Other fruits		0.1
<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Sunflower seeds		0.1
Sesame seeds		0.1
Safflower seeds		0.1
Cotton seeds		0.1
Rapeseeds		0.1
Other oil seeds		0.1
Ginkgo nut		0.1
Chestnut		0.1
Pecan		0.1
Almond		0.1
Walnut		0.1
Other nuts		0.1
Tea		0.1
Coffee beans		0.1
Cacao beans		0.1
Hop		0.1
Other spices		0.1
Other herbs		0.1
<b>Fish and shellfish</b>	<b>0.2</b>	

\* Current MRLs for furametpyr are established for the sum of residues of furametpyr and its hydroxyl analogues, calculated as furametpyr. The revised MRLs are established only for the residue of furametpyr.

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.



**Thiamphenicol**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Cattle, muscle</b>	<b>0.02</b>	<b>0.02</b>
<b>Pig, muscle</b>	<b>0.02</b>	<b>0.02</b>
<b>Cattle, fat</b>	<b>0.02</b>	<b>0.02</b>
<b>Pig, fat</b>	<b>0.02</b>	<b>0.02</b>
<b>Cattle, liver</b>	<b>0.02</b>	<b>0.02</b>
<b>Pig, liver</b>	<b>0.02</b>	<b>0.02</b>
<b>Cattle, kidney</b>	<b>0.02</b>	<b>0.02</b>
<b>Pig, kidney</b>	<b>0.02</b>	<b>0.02</b>
<b>Cattle, edible offal (“Edible offal” refers to all edible parts, except muscle, fat, liver, and kidney)</b>	<b>0.02</b>	<b>0.02</b>
<b>Pig, edible offal</b>	<b>0.02</b>	<b>0.02</b>
<b>Milk</b>		<b>0.05</b>
<b>Chicken, muscle</b>	<b>0.05</b>	<b>0.02</b>
<b>Chicken, fat</b>	<b>0.2</b>	<b>0.04</b>
<b>Chicken, liver</b>	<b>0.05</b>	<b>0.05</b>
<b>Chicken, kidney</b>	<b>0.05</b>	<b>0.02</b>
<b>Chicken, edible offal</b>	<b>0.05</b>	<b>0.02</b>
<b>Perciformes (such as bonito, horse mackerel, mackerel, sea bass, sea bream and tuna)</b>	<b>0.02</b>	<b>0.02</b>

\* Shaded figures indicate provisional MRLs.

\* The compound shall not be included in any commodity for which the MRL is not given in the above table and in any commodity not listed above.

**2,6-Difluorobenzoic acid**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Button mushroom</b>		<b>1</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

***N*-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Cattle, muscle</b>		<b>0.3</b>
<b>Pig, muscle</b>		<b>0.3</b>
<b>Other terrestrial mammals, muscle</b>		<b>0.3</b>
<b>Cattle, fat</b>		<b>0.3</b>

Pig, fat		0.3
Other terrestrial mammals, fat		0.3
Cattle, liver		0.3
Pig, liver		0.3
Other terrestrial mammals, liver		0.3
Cattle, kidney		0.3
Pig, kidney		0.3
Other terrestrial mammals, kidney		0.3
Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)		0.3
Pig, edible offal		0.3
Other terrestrial mammals, edible offal		0.3
Milk		0.3

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### XMC

Commodity	MRL (draft) ppm	MRL (current) ppm
Rice (brown rice)		0.2
Wheat		0.2
Barley		0.2
Rye		0.2
Corn (maize, including pop corn and sweet corn)		0.2
Buckwheat		0.2
Other cereal grains		0.2
Water melon		0.2
Melons		0.2
<i>Makuwauri</i> melon		0.2
<i>Unshu</i> orange, pulp		0.2
Citrus <i>natsudaikai</i> , whole		0.2
Lemon		0.2
Orange (including navel orange)		0.2
Grapefruit		0.2
Lime		0.2
Other citrus fruits		0.2
Apple		0.2
Japanese pear		0.2
Pear		0.2
Quince		0.2
Loquat		0.2

Peach		0.2
Nectarine		0.2
Apricot		0.2
Japanese plum (including prune)		0.2
Mume plum		0.2
Cherry		0.2
Strawberry		0.2
Raspberry		0.2
Blackberry		0.2
Blueberry		0.2
Cranberry		0.2
Huckleberry		0.2
Other berries		0.2
Grape		0.2
Japanese persimmon		0.2
Banana		0.2
Kiwifruit		0.2
Papaya		0.2
Avocado		0.2
Pineapple		0.2
Guava		0.2
Mango		0.2
Passion fruit		0.2
Date		0.2
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Other fruits		0.2
Sunflower seeds		0.2
Sesame seeds		0.2
Safflower seeds		0.2
Cotton seeds		0.2
Rapeseeds		0.2
Other oil seeds		0.2
Ginkgo nut		0.2
Chestnut		0.2
Pecan		0.2
Almond		0.2
Walnut		0.2
Other nuts		0.2
Tea		10
Other spices		0.2

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### Azafenidin

Commodity	MRL (draft) ppm	MRL (current) ppm
<i>Unshu orange, pulp</i>		0.1
<i>Citrus natsudaikai, whole</i>		0.1
Lemon		0.1
Orange (including navel orange)		0.1
Grapefruit		0.1
Lime		0.1
Other citrus fruits		0.1
Other spices		0.1

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### Allidochlor

Commodity	MRL (draft) ppm	MRL (current) ppm
<b>Corn (maize, including pop corn and sweet corn)</b>		0.05

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

#### Isazofos

Commodity	MRL (draft) ppm	MRL (current) ppm
<b>Carrot</b>		0.2

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

#### Ethiofencarb

Commodity	MRL (draft) ppm	MRL (current) ppm
Wheat		1.0
Barley		1.0
Rye		1.0
Corn (maize, including pop corn and sweet corn)		1.0
Other cereal grains		0.05
Soybeans, dry		1.0
Peas		2.0
Other legumes/pulses		2.0

Potato		0.50
Konjac		1.0
Sugar beet		0.10
Sugarcane		0.05
Japanese radish, roots (including radish)		0.50
Japanese radish, leaves (including radish)		5.0
Chinese cabbage		5.0
Cabbage		2.0
Brussels sprouts		2.0
Qing-geng-cai		2.0
Cauliflower		1.0
Other cruciferous vegetables		2.0
Artichoke		5.0
Lettuce (including cos lettuce and leaf lettuce)		10
Tomato		5.0
Pimiento (sweet pepper)		5.0
Egg plant		5.0
Cucumber (including gherkin)		5.0
Water melon		5.0
Melons		5.0
Other cucurbitaceous vegetables		5.0
Spinach		0.50
Bamboo shoots		7.0
Peas, immature (with pods)		2.0
Kidney beans, immature (with pods)		2.0
Other vegetables		7.0
<i>Unshu</i> orange, pulp		5.0
Citrus <i>natsudaikai</i> , whole		5.0
Lemon		5.0
Orange (including navel orange)		5.0
Grapefruit		5.0
Lime		5.0
Other citrus fruits		5.0
Apple		5.0
Japanese pear		5.0
Pear		5.0
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Peach		5.0
Apricot		5.0
Japanese plum (including prune)		5.0
Mume plum		5.0
Cherry		10
Other berries		2.0
Other fruits		7.0

<b>Other nuts</b>		<b>0.05</b>
<b>Tea</b>		<b>0.05</b>
<b>Hop</b>		<b>0.5</b>
<b>Other spices</b>		<b>7</b>
<b>Other herbs</b>		<b>7</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

**Etrinfos**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brown rice)</b>		<b>0.1</b>
<b>Potato</b>		<b>0.1</b>
<b>Sugar beet</b>		<b>0.01</b>
<b>Japanese radish, roots (including radish)</b>		<b>0.1</b>
<b>Japanese radish, leaves (including radish)</b>		<b>0.2</b>
<b>Turnip, roots (including rutabaga)</b>		<b>0.2</b>
<b>Turnip, leaves (including rutabaga)</b>		<b>0.2</b>
<b>Horseradish</b>		<b>0.2</b>
<b>Watercress</b>		<b>0.2</b>
<b>Chinese cabbage</b>		<b>0.1</b>
<b>Cabbage</b>		<b>0.1</b>
<b>Brussels sprouts</b>		<b>0.1</b>
<b>Kale</b>		<b>0.2</b>
<b>Komatsuna(Japanese mustard spinach)</b>		<b>0.2</b>
<b>Kyona</b>		<b>0.2</b>
<b>Qing-geng-cai</b>		<b>0.01</b>
<b>Cauliflower</b>		<b>0.05</b>
<b>Broccoli</b>		<b>0.2</b>
<b>Other cruciferous vegetables</b>		<b>0.01</b>
<b>Burdock</b>		<b>0.2</b>
<b>Salsify</b>		<b>0.2</b>
<b>Artichoke</b>		<b>0.2</b>
<b>Chicory</b>		<b>0.2</b>
<b>Endive</b>		<b>0.2</b>
<b>Shungiku</b>		<b>0.2</b>
<b>Lettuce (including cos lettuce and leaf lettuce)</b>		<b>0.2</b>
<b>Other composite vegetables</b>		<b>0.2</b>
<b>Onion</b>		<b>0.1</b>
<b>Welsh (including leek)</b>		<b>0.1</b>
<b>Garlic</b>		<b>0.2</b>
<b>Nira</b>		<b>0.2</b>

Asparagus		0.2
Multiplying onion (including shallot)		0.2
Other liliaceous vegetables		0.2
Carrot		0.2
Parsnip		0.2
Parsley		0.2
Celery		0.2
<i>Mitsuba</i>		0.2
Other umbelliferous vegetables		0.2
Tomato		0.2
Pimiento (sweet pepper)		0.2
Egg plant		0.2
Other solanaceous vegetables		0.2
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Cucumber (including gherkin)		0.1
Pumpkin (including squash)		0.2
Oriental pickling melon (vegetable)		0.2
Water melon		0.2
Melons		0.2
<i>Makuwauri</i> melon		0.2
Other cucurbitaceous vegetables		0.2
Spinach		0.2
Bamboo shoots		0.2
Okra		0.2
Ginger		0.2
Peas, immature (with pods)		0.2
Kidney beans, immature (with pods)		0.2
Green soybeans		0.01
Button mushroom		0.2
<i>Shiitake</i> mushroom		0.2
Other mushrooms		0.2
Other vegetables		0.2
<i>Unshu</i> orange, pulp		0.2
Citrus <i>natsudaikai</i> , whole		0.2
Lemon		0.2
Orange (including navel orange)		0.2
Grapefruit		0.2
Lime		0.2
Other citrus fruits		0.2
Apple		0.2
Japanese pear		0.2
Pear		0.2

Quince		0.2
Loquat		0.2
Peach		0.05
Nectarine		0.2
Apricot		0.05
Japanese plum (including prune)		0.2
Mume plum		0.2
Cherry		0.01
Strawberry		0.2
Raspberry		0.2
Blackberry		0.2
Blueberry		0.2
Cranberry		0.2
Huckleberry		0.2
Other berries		0.2
Grape		0.2
Japanese persimmon		0.2
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Banana		0.2
Kiwifruit		0.2
Papaya		0.2
Avocado		0.2
Pineapple		0.2
Guava		0.2
Mango		0.2
Passion fruit		0.2
Date		0.2
Other fruits		0.2
Sunflower seeds		0.2
Sesame seeds		0.2
Safflower seeds		0.2
Cotton seeds		0.2
Rapeseeds		10
Other oil seeds		0.2
Ginkgo nut		0.2
Chestnut		0.2
Pecan		0.2
Almond		0.2
Walnut		0.2
Other nuts		0.2
Other spices		0.2



<b>Other herbs</b>	<b>0.2</b>
--------------------	------------

- \* Shaded figures indicate provisional MRLs.
- \* The uniform limit 0.01 ppm will be applied to all commodities.
- \* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

**Cloprop**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Pineapple</b>		<b>0.3</b>

- \* Shaded figures indicate provisional MRLs.
- \* The uniform limit 0.01 ppm will be applied to all commodities.

**CPCBS (Chlorefenson)**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Corn (maize, including pop corn and sweet corn)</b>		<b>0.01</b>
<b>Soybeans, dry</b>		<b>0.01</b>
<b>Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)</b>		<b>0.01</b>
<b>Peas</b>		<b>0.01</b>
<b>Broad beans</b>		<b>0.01</b>
<b>Peanuts, dry</b>		<b>0.01</b>
<b>Other legumes/pulses</b>		<b>0.01</b>
<b>Potato</b>		<b>0.01</b>
<b>Taro</b>		<b>0.01</b>
<b>Sweet potato</b>		<b>0.01</b>
<b>Yam</b>		<b>0.01</b>
<b>Konjac</b>		<b>0.01</b>
<b>Other potatoes</b>		<b>0.01</b>
<b>Sugar beet</b>		<b>0.01</b>
<b>Japanese radish, roots (including radish)</b>		<b>0.01</b>
<b>Japanese radish, leaves (including radish)</b>		<b>0.01</b>
<b>Turnip, roots (including rutabaga)</b>		<b>0.01</b>
<b>Turnip, leaves (including rutabaga)</b>		<b>0.01</b>
<b>Horseradish</b>		<b>0.01</b>
<b>Watercress</b>		<b>0.01</b>
<b>Chinese cabbage</b>		<b>0.01</b>
<b>Cabbage</b>		<b>0.01</b>
<b>Brussels sprouts</b>		<b>0.01</b>
<b>Kale</b>		<b>0.01</b>
<b>Komatsuna(Japanese mustard spinach)</b>		<b>0.01</b>
<b>Kyona</b>		<b>0.01</b>

Qing-geng-cai		0.01
Cauliflower		0.01
Broccoli		0.01
Other cruciferous vegetables		0.01
Burdock		0.01
Salsify		0.01
Artichoke		0.01
Chicory		0.01
Endive		0.01
<i>Shungiku</i>		0.01
Lettuce (including cos lettuce and leaf lettuce)		0.01
Other composite vegetables		0.01
Onion		0.01
Welsh (including leek)		0.01
Garlic		0.01
<i>Nira</i>		0.01
Asparagus		0.01
Multiplying onion (including shallot)		0.01
Other liliaceous vegetables		0.01
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Carrot		0.01
Parsnip		0.01
Parsley		0.01
Celery		0.01
<i>Mitsuba</i>		0.01
Other umbelliferous vegetables		0.01
Tomato		0.01
Pimiento (sweet pepper)		0.01
Egg plant		0.01
Other solanaceous vegetables		0.01
Cucumber (including gherkin)		0.01
Pumpkin (including squash)		0.01
Oriental pickling melon (vegetable)		0.01
Water melon		0.01
Melons		0.01
<i>Makuwauri</i> melon		0.01
Other cucurbitaceous vegetables		0.01
Spinach		0.01
Bamboo shoots		0.01
Okra		0.01
Ginger		0.01
Peas, immature (with pods)		0.01

Kidney beans, immature (with pods)		0.01
Green soybeans		0.01
Button mushroom		0.01
<i>Shiitake</i> mushroom		0.01
Other mushrooms		0.01
Other vegetables		0.01
<i>Unshu</i> orange, pulp		0.01
Citrus <i>natsudaidai</i> , whole		0.01
Lemon		0.01
Orange (including navel orange)		0.01
Grapefruit		0.01
Lime		0.01
Other citrus fruits		0.01
Apple		0.01
Japanese pear		0.01
Pear		0.01
Quince		0.01
Loquat		0.01
Peach		0.01
Nectarine		0.01
Apricot		0.01
Japanese plum (including prune)		0.01
Mume plum		0.01
Cherry		0.01
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Strawberry		0.01
Raspberry		0.01
Blackberry		0.01
Blueberry		0.01
Cranberry		0.01
Huckleberry		0.01
Other berries		0.01
Grape		0.01
Japanese persimmon		0.01
Banana		0.01
Kiwifruit		0.01
Avocado		0.01
Pineapple		0.01
Guava		0.01
Mango		0.01
Passion fruit		0.01

Date		0.01
Other fruits		0.01
Sunflower seeds		0.01
Sesame seeds		0.01
Safflower seeds		0.01
Cotton seeds		0.01
Rapeseeds		0.01
Other oil seeds		0.01
Ginkgo nut		0.01
Chestnut		0.01
Pecan		0.01
Almond		0.01
Walnut		0.01
Other nuts		0.01
Tea		0.1
Hop		0.1
Other spices		0.01
Other herbs		0.01
Cattle, muscle		0.05
Pig, muscle		0.05
Other terrestrial mammals, muscle		0.05
Cattle, fat		0.05
Pig, fat		0.05
Other terrestrial mammals, fat		0.05
Cattle, liver		0.05
Pig, liver		0.05
Other terrestrial mammals, liver		0.05
Cattle, kidney		0.05
Pig, kidney		0.05
Other terrestrial mammals, kidney		0.05
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Cattle, edible offal (“Edible offal” refers to all edible parts, except muscle, fat, liver, and kidney)		0.05
Pig, edible offal		0.05
Other terrestrial mammals, edible offal		0.05
Milk		0.05
Chicken, muscle		0.05
Other poultry animals, muscle		0.05
Chicken, fat		0.05
Other poultry animals, fat		0.05
Chicken, liver		0.05

<b>Other poultry animals, liver</b>		<b>0.05</b>
<b>Chicken, kidney</b>		<b>0.05</b>
<b>Other poultry animals, kidney</b>		<b>0.05</b>
<b>Chicken, edible offal</b>		<b>0.05</b>
<b>Other poultry animals, edible offal</b>		<b>0.05</b>
<b>Chicken, eggs</b>		<b>0.05</b>
<b>Other poultry, eggs</b>		<b>0.05</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

### Dichlone

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Apple</b>		<b>3</b>
<b>Peach</b>		<b>3</b>
<b>Nectarine</b>		<b>3</b>
<b>Japanese plum (including prune)</b>		<b>3</b>
<b>Cherry</b>		<b>3</b>
<b>Strawberry</b>		<b>20</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

### Cinosulfuron

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brawn rice)</b>		<b>0.1</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

### Dimepiperate

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brown rice)</b>		<b>0.03</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

### Copper terephthalate

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brown rice)</b>		<b>0.5</b>

Wheat		0.5
Barley		0.5
Rye		0.5
Corn (maize, including pop corn and sweet corn)		0.5
Buckwheat		0.5
Other cereal grains		0.5
Soybeans, dry		0.5
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)		0.5
Peas		0.5
Broad beans		0.5
Peanuts, dry		0.5
Other legumes/pulses		0.5
Potato		0.5
Taro		0.5
Sweet potato		0.5
Yam		0.5
Konjac		0.5
Other potatoes		0.5
Sugar beet		0.5
Sugarcane		0.5
Japanese radish, roots (including radish)		0.5
Japanese radish, leaves (including radish)		0.5
Turnip, roots (including rutabaga)		0.5
Turnip, leaves (including rutabaga)		0.5
Horseradish		0.5
Watercress		0.5
Chinese cabbage		0.5
Cabbage		0.5
Brussels sprouts		0.5
Kale		0.5
<i>Komatsuna</i> (Japanese mustard spinach)		0.5
<i>Kyona</i>		0.5
Qing-geng-cai		0.5
Cauliflower		0.5
Broccoli		0.5
Other cruciferous vegetables		0.5
Burdock		0.5
Salsify		0.5
Artichoke		0.5
Chicory		0.5
Endive		0.5
<i>Shungiku</i>		0.5
Lettuce (including cos lettuce and leaf lettuce)		0.5

Other composite vegetables		0.5
Commodity	MRL (draft) ppm	MRL (current) ppm
Onion		0.5
Welsh (including leek)		0.5
Garlic		0.5
<i>Nira</i>		0.5
Asparagus		0.5
Multiplying onion (including shallot)		0.5
Other liliaceous vegetables		0.5
Carrot		0.5
Parsnip		0.5
Parsley		0.5
Celery		0.5
<i>Mitsuba</i>		0.5
Other umbelliferous vegetables		0.5
Tomato		0.5
Pimiento (sweet pepper)		0.5
Egg plant		0.5
Other solanaceous vegetables		0.5
Cucumber (including gherkin)		0.5
Pumpkin (including squash)		0.5
Oriental pickling melon (vegetable)		0.5
Water melon		5
Melons		5
<i>Makuwauri</i> melon		5
Other cucurbitaceous vegetables		0.5
Spinach		0.5
Bamboo shoots		0.5
Okra		0.5
Ginger		0.5
Peas, immature (with pods)		0.5
Kidney beans, immature (with pods)		0.5
Green soybeans		0.5
Button mushroom		0.5
<i>Shiitake</i> mushroom		0.5
Other mushrooms		0.5
Other vegetables		0.5
<i>Unshu</i> orange, pulp		5
Citrus <i>natsudaikai</i> , whole		5
Lemon		5
Orange (including navel orange)		5
Grapefruit		5

Lime		5
Other citrus fruits		5
<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Apple		5
Japanese pear		5
Pear		5
Quince		5
Loquat		5
Peach		5
Nectarine		5
Apricot		5
Japanese plum (including prune)		5
Mume plum		5
Cherry		5
Strawberry		5
Raspberry		5
Blackberry		5
Blueberry		5
Cranberry		5
Huckleberry		5
Other berries		5
Grape		5
Japanese persimmon		5
Banana		5
Kiwifruit		5
Papaya		5
Avocado		5
Pineapple		5
Guava		5
Mango		5
Passion fruit		5
Date		5
Other fruits		5
Sunflower seeds		5
Sesame seeds		5
Safflower seeds		5
Cotton seeds		5
Rapeseeds		5
Other oil seeds		5
Ginkgo nut		5
Chestnut		5
Pecan		5



Almond		5
Walnut		5
Other nuts		5
Commodity	MRL (draft) ppm	MRL (current) ppm
Tea		0.5
Coffee beans		0.5
Cacao beans		0.5
Hop		0.5
Other spices		5
Other herbs		0.5

\* The residue of copper terephthalate includes terephthalic acid.

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### Trichlamide

Commodity	MRL (draft) ppm	MRL (current) ppm
Rice (brown rice)		0.1
Wheat		0.1
Barley		0.1
Rye		0.1
Corn (maize, including pop corn and sweet corn)		0.1
Buckwheat		0.1
Other cereal grains		0.1
Soybeans, dry		0.1
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)		0.1
Peas		0.1
Broad beans		0.1
Peanuts, dry		0.1
Other legumes/pulses		0.1
Potato		0.3
Taro		0.3
Sweet potato		0.3
Yam		0.3
Konjac		0.3
Other potatoes		0.3
Sugar beet		0.1
Sugarcane		0.1

Japanese radish, roots (including radish)		0.2
Japanese radish, leaves (including radish)		0.2
Turnip, roots (including rutabaga)		0.2
Turnip, leaves (including rutabaga)		0.2
Horseradish		0.2
Watercress		0.2
Chinese cabbage		0.2
Cabbage		0.2
Brussels sprouts		0.2
Kale		0.2
<i>Komatsuna</i> (Japanese mustard spinach)		0.2
<i>Kyona</i>		0.2
Qing-geng-cai		0.2
Cauliflower		0.2
Broccoli		0.2
Other cruciferous vegetables		0.2
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Burdock		0.2
Salsify		0.2
Artichoke		0.2
Chicory		0.2
Endive		0.2
<i>Shungiku</i>		0.2
Lettuce (including cos lettuce and leaf lettuce)		0.2
Other composite vegetables		0.2
Onion		0.2
Welsh (including leek)		0.2
Garlic		0.2
<i>Nira</i>		0.2
Asparagus		0.2
Multiplying onion (including shallot)		0.2
Other liliaceous vegetables		0.2
Carrot		0.2
Parsnip		0.2
Parsley		0.2
Celery		0.2
<i>Mitsuba</i>		0.2
Other umbelliferous vegetables		0.2
Tomato		0.2
Pimiento (sweet pepper)		0.2
Egg plant		0.2
Other solanaceous vegetables		0.2

Cucumber (including gherkin)		0.2
Pumpkin (including squash)		0.2
Oriental pickling melon (vegetable)		0.2
Water melon		0.1
Melons		0.1
<i>Makuwauri</i> melon		0.1
Other cucurbitaceous vegetables		0.2
Spinach		0.2
Bamboo shoots		0.2
Okra		0.2
Ginger		0.2
Peas, immature (with pods)		0.2
Kidney beans, immature (with pods)		0.2
Green soybeans		0.2
Button mushroom		0.2
<i>Shiitake</i> mushroom		0.2
Other mushrooms		0.2
Other vegetables		0.2
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<i>Unshu</i> orange, pulp		0.1
Citrus <i>natsudaidai</i> , whole		0.1
Lemon		0.1
Orange (including navel orange)		0.1
Grapefruit		0.1
Lime		0.1
Other citrus fruits		0.1
Apple		0.1
Japanese pear		0.1
Pear		0.1
Quince		0.1
Loquat		0.1
Peach		0.1
Nectarine		0.1
Apricot		0.1
Japanese plum (including prune)		0.1
Mume plum		0.1
Cherry		0.1
Strawberry		0.1
Raspberry		0.1
Blackberry		0.1
Blueberry		0.1
Cranberry		0.1

Huckleberry		0.1
Other berries		0.1
Grape		0.1
Japanese persimmon		0.1
Banana		0.1
Kiwifruit		0.1
Papaya		0.1
Avocado		0.1
Pineapple		0.1
Guava		0.1
Mango		0.1
Passion fruit		0.1
Date		0.1
Other fruits		0.1
Sunflower seeds		0.1
Sesame seeds		0.1
Safflower seeds		0.1
Cotton seeds		0.1
Rapeseeds		0.1
Other oil seeds		0.1
<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Ginkgo nut		0.1
Chestnut		0.1
Pecan		0.1
Almond		0.1
Walnut		0.1
Other nuts		0.1
Tea		0.1
Coffee beans		0.1
Cacao beans		0.1
Hop		0.1
Other spices		0.2
Other herbs		0.2

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### Naproanilide

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Rice (brown rice)		0.05

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

### Halfenprox

Commodity	MRL (draft) ppm	MRL (current) ppm
Water melon		0.1
Melons		0.1
<i>Makuwauri</i> melon		0.1
<i>Unshu</i> orange, pulp		0.05
Citrus <i>natsudaikai</i> , whole		1
Lemon		1
Orange (including navel orange)		1
Grapefruit		1
Lime		1
Other citrus fruits		1
Apple		1
Japanese pear		0.5
Pear		0.5
Quince		0.5
Loquat		0.1
Peach		0.1
Nectarine		0.5
Japanese persimmon		0.5
Banana		0.5
Kiwifruit		0.1
Papaya		0.5
Avocado		0.5
Pineapple		0.5
Guava		0.5
Mango		0.5
Passion fruit		0.5
Tea		10
Other spices		1

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

### Piperophos

Commodity	MRL (draft) ppm	MRL (current) ppm
Rice (brown rice)		0.01

- \* Shaded figures indicate provisional MRLs.
- \* The uniform limit 0.01 ppm will be applied to all commodities.

### **Pyrifenox**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Other legumes/pulses</b>		<b>0.1</b>
<b>Sugar beet</b>		<b>0.1</b>
<b>Tomato</b>		<b>0.2</b>
<b>Cucumber (including gherkin)</b>		<b>0.1</b>
<b>Melons</b>		<b>2.0</b>
<b>Apple</b>		<b>2.0</b>
<b>Japanese pear</b>		<b>0.5</b>
<b>Pear</b>		<b>0.5</b>
<b>Quince</b>		<b>0.2</b>
<b>Loquat</b>		<b>0.2</b>
<b>Peach</b>		<b>2.0</b>
<b>Nectarine</b>		<b>0.2</b>
<b>Apricot</b>		<b>0.2</b>
<b>Japanese plum (including prune)</b>		<b>0.2</b>
<b>Mume plum</b>		<b>0.2</b>
<b>Cherry</b>		<b>0.2</b>
<b>Strawberry</b>		<b>2.0</b>
<b>Raspberry</b>		<b>1.0</b>
<b>Blackberry</b>		<b>1.0</b>
<b>Blueberry</b>		<b>1.0</b>
<b>Cranberry</b>		<b>1.0</b>
<b>Huckleberry</b>		<b>1.0</b>
<b>Other berries</b>		<b>1.0</b>
<b>Grape</b>		<b>2.0</b>
<b>Japanese persimmon</b>		<b>2.0</b>
<b>Tea</b>		<b>5.0</b>
<b>Other spices</b>		<b>0.1</b>

- \* MRLs for pyrifenox is established for the sum of residues of (E)-pyrifenox and (Z)-pyrifenox.
- \* Shaded figures indicate provisional MRLs.
- \* The uniform limit 0.01 ppm will be applied to all commodities.
- \* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

### **Propaphos**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brown rice)</b>		<b>0.05</b>

- \* Shaded figures indicate provisional MRLs.
- \* The uniform limit 0.01 ppm will be applied to all commodities.

**Bromochloromethane**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Cattle, muscle</b>		<b>0.02</b>
<b>Cattle, fat</b>		<b>0.02</b>
<b>Cattle, liver</b>		<b>0.02</b>
<b>Cattle, kidney</b>		<b>0.02</b>
<b>Cattle, edible offal (“Edible offal” refers to all edible parts, except muscle, fat, liver, and kidney)</b>		<b>0.02</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

**Hexaflumuron**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Rice (brown rice)</b>		<b>0.02</b>
<b>Wheat</b>		<b>0.02</b>
<b>Barley</b>		<b>0.02</b>
<b>Rye</b>		<b>0.02</b>
<b>Corn (maize, including pop corn and sweet corn)</b>		<b>0.02</b>
<b>Buckwheat</b>		<b>0.02</b>
<b>Other cereal grains</b>		<b>0.02</b>
<b>Soybeans, dry</b>		<b>0.02</b>
<b>Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)</b>		<b>0.02</b>
<b>Peas</b>		<b>0.02</b>
<b>Broad beans</b>		<b>0.02</b>
<b>Peanuts, dry</b>		<b>0.02</b>
<b>Other legumes/pulses</b>		<b>0.02</b>
<b>Potato</b>		<b>0.02</b>
<b>Taro</b>		<b>0.02</b>
<b>Sweet potato</b>		<b>0.02</b>
<b>Yam</b>		<b>0.02</b>
<b>Konjac</b>		<b>0.02</b>
<b>Other potatoes</b>		<b>0.02</b>
<b>Sugar beet</b>		<b>0.02</b>
<b>Sugarcane</b>		<b>0.02</b>
<b>Japanese radish, roots (including radish)</b>		<b>0.02</b>
<b>Japanese radish, leaves (including radish)</b>		<b>0.02</b>
<b>Turnip, roots (including rutabaga)</b>		<b>0.02</b>
<b>Turnip, leaves (including rutabaga)</b>		<b>0.02</b>
<b>Horseradish</b>		<b>0.02</b>
<b>Watercress</b>		<b>0.02</b>

Chinese cabbage		0.02
Cabbage		0.02
Brussels sprouts		0.02
Kale		0.02
<i>Komatsuna</i> (Japanese mustard spinach)		0.02
<i>Kyona</i>		0.02
Qing-geng-cai		0.02
Cauliflower		0.02
Broccoli		0.02
Other cruciferous vegetables		0.02
Burdock		0.02
Salsify		0.02
Artichoke		0.02
Chicory		0.02
Endive		0.02
<i>Shungiku</i>		0.02
Lettuce (including cos lettuce and leaf lettuce)		0.02
Other composite vegetables		0.02
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Onion		0.02
Welsh (including leek)		0.02
Garlic		0.02
<i>Nira</i>		0.02
Asparagus		0.02
Multiplying onion (including shallot)		0.02
Other liliaceous vegetables		0.02
Carrot		0.02
Parsnip		0.02
Parsley		0.02
Celery		0.02
<i>Mitsuba</i>		0.02
Other umbelliferous vegetables		0.02
Tomato		0.02
Pimiento (sweet pepper)		0.02
Egg plant		0.02
Other solanaceous vegetables		0.02
Cucumber (including gherkin)		0.02
Pumpkin (including squash)		0.02
Oriental pickling melon (vegetable)		0.02
Water melon		0.05
Melons		0.02
<i>Makuwauri</i> melon		0.02



Other cucurbitaceous vegetables		0.02
Spinach		0.02
Bamboo shoots		0.02
Okra		0.02
Ginger		0.02
Peas, immature (with pods)		0.02
Kidney beans, immature (with pods)		0.02
Green soybeans		0.02
Button mushroom		0.02
<i>Shiitake</i> mushroom		0.02
Other mushrooms		0.02
Other vegetables		0.02
<i>Unshu</i> orange, pulp		0.02
Citrus <i>natsudaidai</i> , whole		0.02
Lemon		0.02
Orange (including navel orange)		0.02
Grapefruit		0.02
Lime		0.02
Other citrus fruits		0.02
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Apple		0.5
Japanese pear		0.5
Pear		0.5
Quince		0.5
Loquat		0.02
Peach		0.02
Nectarine		0.5
Apricot		0.02
Japanese plum (including prune)		0.02
Mume plum		0.02
Cherry		0.02
Strawberry		0.02
Raspberry		0.02
Blackberry		0.02
Blueberry		0.02
Cranberry		0.02
Huckleberry		0.02
Other berries		0.02
Grape		0.02
Japanese persimmon		0.5
Banana		0.5

Kiwifruit		0.02
Papaya		0.5
Avocado		0.5
Pineapple		0.5
Guava		0.5
Mango		0.5
Passion fruit		0.5
Date		0.02
Other fruits		0.02
Sunflower seeds		0.02
Sesame seeds		0.02
Safflower seeds		0.02
Cotton seeds		0.05
Rapeseeds		0.02
Other oil seeds		0.02
Ginkgo nut		0.02
Chestnut		0.02
Pecan		0.02
Almond		0.02
Walnut		0.02
Other nuts		0.02
	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
Tea		15
Coffee beans		0.02
Cacao beans		0.02
Hop		0.02
Other spices		0.02
Other herbs		0.02

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.

#### Nalidixic acid

Commodity	MRL (draft) ppm	MRL (current) ppm
Cattle, muscle		0.03
Cattle, fat		0.03
Cattle, liver		0.03
Cattle, kidney		0.03
Cattle, edible offal ("Edible offal" refers to all edible parts, except		0.03

<b>muscle, fat, liver, and kidney)</b>		
--	--	--

\* Shaded figures indicate provisional MRLs.

\* This compound shall not be included in any commodity.

**Parbendazole**

<b>Commodity</b>	<b>MRL (draft) ppm</b>	<b>MRL (current) ppm</b>
<b>Cattle, muscle</b>		<b>0.1</b>
<b>Pig, muscle</b>		<b>0.1</b>
<b>Other terrestrial mammals, muscle</b>		<b>0.1</b>
<b>Cattle, fat</b>		<b>0.1</b>
<b>Pig, fat</b>		<b>0.1</b>
<b>Other terrestrial mammals, fat</b>		<b>0.1</b>
<b>Cattle, liver</b>		<b>0.1</b>
<b>Pig, liver</b>		<b>0.1</b>
<b>Other terrestrial mammals, liver</b>		<b>0.1</b>
<b>Cattle, kidney</b>		<b>0.1</b>
<b>Pig, kidney</b>		<b>0.1</b>
<b>Other terrestrial mammals, kidney</b>		<b>0.1</b>
<b>Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)</b>		<b>0.1</b>
<b>Pig, edible offal</b>		<b>0.1</b>
<b>Other terrestrial mammals, edible offal</b>		<b>0.1</b>
<b>Milk</b>		<b>0.1</b>

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to all commodities.

\* In the "Commodity" column, for the food categories to which the word other is added, refer to the Notes given in the last two pages of the Attachment.