

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY  
USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT  
POLICY

Voluntary    Public

**Date:** 3/21/2014

**GAIN Report Number:** 14015

## **China - Peoples Republic of**

**Post:** Beijing

### **SPS 635-Maximum Residue Limit of Pesticides in Foods**

**Report Categories:**

FAIRS Subject Report

**Approved By:**

Michael Riedel

**Prepared By:**

M. Meador and Ma Jie

**Report Highlights:**

On March 10, 2014, China notified the WTO of the National Food Safety Standard of the Maximum residue limits for pesticides in Foods as SPS/N/CHN/635. This regulation establishes 164 maximum residue limits (MRLs) for 91 pesticides, including 2,4-D, etc. in foods. The deadline for submission of final comments to China is May 9, 2014. The proposed date of entry is to be determined.

Comments can be sent to China's SPS Enquiry Point at [sps@aqsiq.gov.cn](mailto:sps@aqsiq.gov.cn).

This report is an INFORMAL translation of this document.

**General Information:**  
**BEGIN TRANSLATION**  
Annex 3

**Maximum Residue Limit of Pesticides in Foods**

**1 2,4-D**

- 1.1 Major purpose of use: herbicide.
  - 1.2 ADI: 0.01 mg/kg bw.
  - 1.3 Residue: 2,4-D.
  - 1.4 MRL: Shall comply with provisions in the Table 1.
- Table 1

Food Category/Name	MRL (mg/kg)
Fruit Citrus	0.1

**2 MCPA (Sodium)**

- 2.1 Major purpose of use: herbicide.
  - 2.2 ADI: 0.05 mg/kg bw.
  - 2.3 Residue: MCPA.
  - 2.4 MRL: Shall comply with provisions in the Table 2.
- Table 2

Food Category/Name	MRL (mg/kg)
Grain Wheat	0.1
Fruit Apple	0.05

**3 Abamectin**

- 3.1 Major purpose of use: pesticide.
  - 3.2 ADI: 0.002 mg/kg bw.
  - 3.3 Residue: abamectin (Bla and Blb).
  - 3.4 MRL: Shall comply with provisions in the Table 3.
- Table 3

Food Category/Name	MRL (mg/kg)
Vegetable Rape	0.1

**4 Picloram**

- 4.1 Major purpose of use: herbicide.
  - 4.2 ADI: 0.3 mg/kg bw.
  - 4.3 Residue: picloram.
  - 4.4 MRL: Shall comply with provisions in the Table 4.
- Table 4

Food Category/Name	MRL (mg/kg)
Grain Wheat	0.05*

## 5 Benomyl

5.1 Major purpose of use: fungicide.

5.2 ADI: 0.1 mg/kg bw

5.3 Residue: benomyl.

5.4 MRL: Shall comply with provisions in the Table 5.

Table 5

Food Category/Name	MRL (mg/kg)
Fruit Banana	2*

## 6 Difenoconazole

6.1 Major purpose of use: fungicide.

6.2 ADI: 0.01 mg/kg bw.

6.3 Residue: difenoconazole.

6.4 MRL: Shall comply with provisions in the Table 6.

Table 6

Food Category/Name	MRL (mg/kg)
Medicinal plant Panax notoginseng root tuber (dry)	5
Rhizomes of Panax notoginseng (dry)	5
Panax Notoginseng Flower (dry)	10

## 7 Saflufenacil

7.1 Major purpose of use: herbicide.

7.2 ADI: 0.05 mg/kg bw.

7.3 Residue: saflufenacil and its metabolite, expressed as saflufenacil.

7.4 MRL: Shall comply with provisions in the Table 7.

Table 7

Food Category/Name	MRL (mg/kg)
Fruit Citrus	0.05*

## 8 Metamitron

8.1 Major purpose of use: herbicide.

8.2 ADI: 0.03mg/kg bw.

8.3 Residue: metamitron.

8.4 MRL: Shall comply with provisions in the Table 8.

Table 8

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Sugar crop Sugar beet	0.1
--------------------------	-----

## 9 Pymetrozine

9.1 Major purpose of use: pesticide.

9.2 ADI: 0.03 mg/kg bw.

9.3 Residue: pymetrozine.

9.4 MRL: Shall comply with provisions in the Table 9.

Table 9

Food Category/Name	MRL (mg/kg)
Beverages Tea	2

## 10 Pyraclostrobin

10.1 Major purpose of use: fungicide.

10.2 ADI: 0.03mg/kg bw.

10.3 Residue pyraclostrobin.

10.4 MRL: Shall comply with provisions in the Table 10.

Table 10

## 11 Propineb

11.1 Major purpose of use:

11.2 ADI: 0.007mg/kg bw.

11.3 Residue:  
sulfur oxide.

11.4 MRL: Shall comply with  
Table 11

Food Category/Name	MRL (mg/kg)
Oil seed Peanut Cotton seed	0.05 0.1
Fruit Mango Leachy Peach	0.05 0.1 1

fungicide.

Dithiocarbamates, expressed as

provisions in the Table 11.

Food Category/Name	MRL (mg/kg)
Fruit Watermelon Citrus	1* 3*
Vegetable Potato	0.5*

## 12 Glyphosate

12.1 Major purpose of use: herbicide.

12.2 ADI: 1 mg/kg bw.

12.3 Residue: glyphosate.

12.4 MRL: Shall comply with provisions in the Table 12.

Table 12

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Oil seed Rapeseed	2
----------------------	---

### 13 Chlorfenapyr

13.1 Major purpose of use: pesticide/acaricide.

13.2 ADI: 0.03mg/kg bw.

13.3 Residue: chlorfenapyr.

13.4 MRL: Shall comply with provisions in the Table 13.

Table 13

Food Category/Name	MRL (mg/kg)
Vegetable	
Chinese kale	0.1
Common Chinese cabbage	10

### 14 Pyrethrins

14.1 Major purpose of use: pesticide.

14.2 ADI: 0.04mg/kg bw.

14.3 Residue: total of pyrethrins I and pyrethrins II.

14.4 MRL: Shall comply with provisions in the Table 14.

Table 14

Food Category/Name	MRL (mg/kg)
Vegetable	
Chinese cabbage (bok choy)	1*

### 15 Kasugamycin

15.1 Major purpose of use: fungicide.

15.2 ADI: 0.113 mg/kg bw.

15.3 Residue: kasugamycin.

15.4 MRL: Shall comply with provisions in the Table 15.

Table 15

Food Category/Name	MRL (mg/kg)
Vegetable	
Pepper	0.1*

### 16 Metiram

16.1 Major purpose of use: fungicide.

16.2 ADI: 0.03 mg/kg bw.

16.3 Residue: dithiocarbamates (expressed as carbon disulfide).

16.4 MRL: Shall comply with provisions in the Table 16.

Table 16

Food Category/Name	MRL (mg/kg)
Fruit	
Peach	5

### 17 Mancozeb

- 17.1 Major purpose of use: fungicide.
- 17.2 ADI: 0.03 mg/kg bw.
- 17.3 Residue: dithiocarbamates, expressed as carbon disulfide.
- 17.4 MRL: Shall comply with provisions in the Table 17.

Table 17

Food Category/Name	MRL (mg/kg)
Vegetable	
Cauliflower	2

**18 Isoprothiolane**

- 18.1 Major purpose of use: fungicide.
- 18.2 ADI: 0.016 mg/kg bw.
- 18.3 Residue: isoprothiolane.
- 18.4 MRL: Shall comply with provisions in the Table 18.

Table 18

Food Category/Name	MRL (mg/kg)
Fruit	
Watermelon	0.1

**19 Prohexadione-calcium**

- 19.1 Major purpose of use: plant growth regulator.
- 19.2 ADI: 0.2 mg/kg bw.
- 19.3 Residue: prohexadione-calcium.
- 19.4 MRL: Shall comply with provisions in the Table 19.

Table 19

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.05
Rice	0.05

**20 Pyrimorph**

- 20.1 Major purpose of use: fungicide.
- 20.2 ADI: 0.01 mg/kg bw.
- 20.3 Residue: pyrimorph.
- 20.4 MRL: Shall comply with provisions in the Table 20.

Table 20

Food Category/Name	MRL (mg/kg)
Vegetable	
Tomato	10*
Cucumber	10*

**21 Acetamiprid**

- 21.1 Major purpose of use: pesticide.
- 21.2 ADI: 0.07 mg/kg bw.
- 21.3 Residue: acetamiprid.

21.4 MRL: Shall comply with provisions in the Table 21.

Table 21

Food Category/Name	MRL (mg/kg)
Vegetable Chinese cabbage (bok choy)	1

## 22 Pyrisoxazol

22.1 Major purpose of use: fungicide.

22.2 ADI: 0.1 mg/kg bw.

22.3 Residue: pyrisoxazol.

22.4 MRL: Shall comply with provisions in the Table 22.

Table 22

Food Category/Name	MRL (mg/kg)
Vegetable Tomato	1*

## 23 Boscalid

23.1 Major purpose of use: fungicide.

23.2 ADI: 0.04 mg/kg bw.

23.3 Residue: boscalid.

23.4 MRL: Shall comply with provisions in the Table 23.

Table 23

Food Category/Name	MRL (mg/kg)
Fruit Grape	5

## 24 Picoxystrobin

24.1 Major purpose of use: fungicide.

24.2 ADI: 0.043 mg/kg bw.

24.3 Residue: picoxystrobin.

24.4 MRL: Shall comply with provisions in the Table 24.

Table 24

Food Category/Name	MRL (mg/kg)
Vegetable Pepper	0.5
Fruit Date	5

## 25 Propachlor

25.1 Major purpose of use: herbicide.

25.2 ADI: 0.54 mg/kg bw.

25.3 Residue: propachlor.

25.4 MRL: Shall comply with provisions in the Table 25.

Table 25

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Grain	
Brown rice	0.05
Rice	0.05

## 26 Polyoxins

26.1 Major purpose of use: fungicide.

26.2 ADI: 10mg/kg bw.

26.3 Residue: polyoxins B.

26.4 MRL: Shall comply with provisions in the Table 26.

Table 26

Food Category/Name	MRL (mg/kg)
Vegetable	
Cucumber	0.5*
Potato	0.5*
Fruit	
Apple	0.5*

## 27 Spinosad

27.1 Major purpose of use: pesticide.

27.2 ADI: 0.02mg/kg bw.

27.3 Residue: total of spinosad A and D.

27.4 MRL: Shall comply with provisions in the Table 27.

Table 27

Food Category/Name	MRL (mg/kg)
Vegetable	
Chinese cabbage (bok choy)	0.5

## 28 Metamifop

28.1 Major purpose of use: herbicide.

28.2 ADI: 0.017mg/kg bw.

28.3 Residue: metamifop, HFMPA, 6-CBO, HPFMPA.

28.4 MRL: Shall comply with provisions in the Table 28.

Table 28

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.05*
Rice	0.05*

## 29 Flutriafol

29.1 Major purpose of use: fungicide.

29.2 ADI: 0.01mg/kg bw.

29.3 Residue: flutriafol.

29.4 MRL: Shall comply with provisions in the Table 29.

Table 29

Food Category/Name	MRL (mg/kg)
--------------------	-------------



Fruit Strawberry	1
---------------------	---

### 30 Dinotefuran

30.1 Major purpose of use: pesticide.

30.2 ADI: 0.2 mg/kg bw.

30.3 Residue: dinotefuran.

30.4 MRL: Shall comply with provisions in the Table 30.

Table 30

Food Category/Name	MRL (mg/kg)
Vegetable Cucumber	2

### 31 Haloxyfop and haloxyfop-P-methyl

31.1 Major purpose of use: herbicide.

31.2 ADI: 0.0007mg/kg bw.

31.3 Residue: haloxyfop, haloxyfop-P-methyl, and their conjugate, expressed as haloxyfop.

31.4 MRL: Shall comply with provisions in the Table 31.

Table 31

Food Category/Name	MRL (mg/kg)
Vegetable Potato	0.1
Oil seed Sunflower seed	0.05

### 32 Fluopyram

32.1 Major purpose of use: fungicide.

32.2 ADI: 0.012mg/kg bw.

32.3 Residue: fluopyram.

32.4 MRL: Shall comply with provisions in the Table 32.

Table 32

Food Category/Name	MRL (mg/kg)
Vegetable Cucumber	0.5*

### 33 Fipronil

33.1 Major purpose of use: pesticide.

33.2 ADI: 0.0002mg/kg bw.

33.3 Residue: fipronil; fipronil-desulfinyl; fipronil sulfide (MB45950); fipronil sulfone (MB46136).

33.4 MRL: Shall comply with provisions in the Table 33.

Table 33

Food Category/Name	MRL (mg/kg)
Oil seed Peanut kernel	0.02

### 34 Flumorph

34.1 Major purpose of use: fungicide.

34.2 ADI: 0.16mg/kg bw.

34.3 Residue: flumorph.

34.4 MRL: Shall comply with provisions in the Table 34.

Table 34

Food Category/Name	MRL (mg/kg)
Vegetable Potato	0.5*

### 35 Sodium nitrophenolate

35.1 Major purpose of use: plant growth regulator

35.2 ADI: 0.003 mg/kg bw

35.3 Residue Sodium 5-nitroguaiacolate, Sodium ortho-nitrophenolate, and sodium para-nitrophenolate.

35.4 MRL: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	MRL/ (mg/kg)
Grain Wheat	0.2*
Oil seed Soybean	0.1*
Vegetable Tomato	0.1*
Fruit Citrus	0.1*

### 36 Emamectin benzoate

36.1 Major purpose of use: pesticide.

36.2 ADI: 0.0005 mg/kg bw.

36.3 Residue: emamectin benzoate (total of B1a and B1b).

36.4 MRL: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	MRL (mg/kg)
Vegetable Chinese cabbage (bok choy)	0.05
Chinese kale	0.05
Common Chinese cabbage	0.1

### 37 Sulfentrazone

37.1 Major purpose of use: herbicide.

37.2 ADI: 0.14mg/kg bw.

37.3 Residue: sulfentrazone, HMS, DMS/SCA.

37.4 MRL: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	MRL (mg/kg)
Sugar crop Sugar cane	0.05*

### 38 Mepiquat chloride

38.1 Major purpose of use: plant growth regulator.

38.2 ADI: 0.195 mg/kg bw.

38.3 Residue: mepiquat chloride.

38.4 MRL: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	MRL (mg/kg)
Vegetable Potato	3*
Oil seed Cotton seed	1*
Soybean	0.05*

### 39 Methoxyfenozide

39.1 Major purpose of use: pesticide.

39.2 ADI: 0.1 mg/kg bw.

39.3 Residue: methoxyfenozide.

39.4 MRL: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	MRL (mg/kg)
Grain Brown rice	0.1
Rice	0.2

### 40 Jianganmycin

40.1 Major purpose of use: fungicide.

40.2 ADI: 0.1 mg/kg bw.

40.3 Residue: jiangangmycin

40.4 MRL: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	MRL (mg/kg)
Grain Brown rice	0.5
Rice	0.5
Wheat	0.5

### 41 Trinexapac-ethyl

- 41.1 Major purpose of use: plant growth regulator.  
 41.2 ADI: 0.32mg/kg bw.  
 41.3 Residue: trinexapac-ethyl.  
 41.4 MRL: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	MRL (mg/kg)
Grain	
Wheat	0.05

## 42 Matrine

- 42.1 Major purpose of use: pesticide.  
 42.2 ADI: 0.1 mg/kg bw.  
 42.3 Residue: matrine.  
 42.4 MRL: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	MRL (mg/kg)
Vegetable	
Head Cabbage	5*
Cucumber	5*
Fruit	
Pear	5*

## 43 Oxine-copper

- 43.1 Major purpose of use: fungicide.  
 43.2 ADI: 0.2mg/kg bw.  
 43.3 Residue: trinexapac-ethyl.  
 43.4 MRL: Shall comply with provisions in the Table 43.

Table 43

Food Category/Name	MRL (mg/kg)
Vegetable	
Tomato	2*

## 44 Bitertanol

- 44.1 Major purpose of use: fungicide.  
 44.2 ADI: 0.01 mg/kg bw.  
 44.3 Residue: bitertanol.  
 44.4 MRL: Shall comply with provisions in the Table 44.

Table 44

Food Category/Name	MRL (mg/kg)
Oil seed	
Peanut kernel	0.1

## 45 Sulfuryl fluoride

- 45.1 Major purpose of use: pesticide.  
 45.2 ADI: 0.01mg/kg bw.

45.3 Residue: sulfuryl fluoride.

45.4 MRL: Shall comply with provisions in the Table 45.

Table 45

Food Category/Name	MRL (mg/kg)
Grain Wheat	0.1*

#### 46 Cadusafos

46.1 Major purpose of use: pesticide, nematicide.

46.2 ADI: 0.0005 mg/kg bw.

46.3 Residue: cadusafos.

46.4 MRL: Shall comply with provisions in the Table 46.

Table 46

Food Category/Name	MRL (mg/kg)
Vegetable Cucumber	0.02

#### 47 Imidaclothiz

47.1 Major purpose of use: pesticide.

47.2 ADI: 0.025 mg/kg bw.

47.3 Residue: imidaclothiz.

47.4 MRL, Shall comply with provisions in the Table 47.

Table 47

Food Category/Name	MRL (mg/kg)
Vegetable Tomato	0.2*

#### 48 Spirodiclofen

48.1 Major purpose of use: acaricide.

48.2 ADI: 0.01 mg/kg bw.

48.3 Residue: spirodiclofen.

48.4 MRL: Shall comply with provisions in the Table 48.

Table 48

Food Category/Name	MRL (mg/kg)
Fruit Apple	0.5

#### 49 Triasulfuron

49.1 Major purpose of use: herbicide.

49.2 ADI: 0.01 mg/kg bw.

49.3 Residue: triasulfuron.

49.4 MRL: Shall comply with provisions in the Table 49.

Table 49

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Grain	
Wheat	0.05*

## 50 Pyribenzoxim

50.1 Major purpose of use: herbicide

50.2 ADI: 2.5 mg/kg

50.3 Residue: pyribenzoxim.

50.4 MRL: Shall comply with provisions in the Table 50.

Table 50

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.05*
Rice	0.05*

## 51 Cyprodinil

51.1 Major purpose of use: fungicide.

51.2 ADI: 0.03 mg/kg bw.

51.3 Residue: cyprodinil.

51.4 MRL: Shall comply with provisions in the Table 51.

Table 51

Food Category/Name	MRL (mg/kg)
Fruit	
Grape	20

## 52 Azoxystrobin

52.1 Major purpose of use: fungicide.

52.2 ADI: 0.2 mg/kg bw.

52.3 Residue: azoxystrobin.

52.4 MRL: Shall comply with provisions in the Table 52.

Table 52

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.5
Rice	1
Oil seed	
Soybean	0.5
Vegetable	
Tomato	3
Medicinal plant	
Ginseng	1

## 53 Ethoprophos

53.1 Major purpose of use: pesticide, nematicide.

53.2 ADI: 0.0004 mg/kg bw.

53.3 Residue: ethoprophos.

53.4 MRL: Shall comply with provisions in the Table 53.

Table 53

Food Category/Name	MRL (mg/kg)
Vegetable Sweet Potato	0.02

#### 54 Prometryn

54.1 Major purpose of use: herbicide.

54.2 ADI: 0.04mg/kg bw.

54.3 Residue: prometryn.

54.4 MRL: Shall comply with provisions in the Table 54.

Table 54

Food Category/Name	MRL (mg/kg)
Oil seed Peanut kernel	0.1

#### 55 Fluthiacet-methyl

55.1 Major purpose of use: herbicide.

55.2 ADI: 0.001 mg/kg bw.

55.3 Residue: fluthiacet-methyl.

55.4 MRL: Shall comply with provisions in the Table 55.

Table 55

Food Category/Name	MRL (mg/kg)
Grain Fresh corn Corn (dry)	0.05* 0.05*

#### 56 Metaflumizone

56.1 Major purpose of use: pesticide.

56.2 ADI: 0.1mg/kg bw.

56.3 Residue metaflumizone.

56.4 MRL: Shall comply with provisions in the Table 56.

Table 56

Food Category/Name	MRL (mg/kg)
Grain Brown rice Rice	0.1* 0.5*

#### 57 Cyazofamid

57.1 Major purpose of use: fungicide.

57.2 ADI: 0.17mg/kg bw.

57.3 Residue: cyazofamid and its metabolite CCIM, 4-chloro-5-(4-methylphenyl)-1H-imidazole-2-carbonitrile, expressed as cyazofamid.

57.4 MRL: Shall comply with provisions in the Table 57.

Table 57

Food Category/Name	MRL (mg/kg)
Fruit	
Watermelon	0.5

**58 Fenvalerate**

58.1 Major purpose of use: pesticide.

58.2 ADI: 0.02 mg/kg bw.

58.3 Residue: fenvalerate (liposoluble).

58.4 MRL: Shall comply with provisions in the Table 58.

Table 58

Food Category/Name	MRL (mg/kg)
Fruit	
Peach	1

**59 Phenamacril**

59.1 Major purpose of use: fungicide.

59.2 ADI: 0.28 mg/kg bw.

59.3 Residue: phenamacril.

59.4 MRL: Shall comply with provisions in the Table 59.

Table 59

Food Category/Name	MRL (mg/kg)
Grain	
Wheat	0.05*

**60 Clothianidin**

60.1 Major purpose of use: pesticide.

60.2 ADI: 0.097mg/kg bw.

60.3 Residue: clothianidin.

60.4 MRL: Shall comply with provisions in the Table 60.

Table 60

Food Category/Name	MRL (mg/kg)
Vegetable	
Tomato	1

**61 Thiacloprid**

61.1 Major purpose of use: pesticide.

61.2 ADI: 0.01 mg/kg bw.

61.3 Residue: thiacloprid.

61.4 MRL: Shall comply with provisions in the Table 61.

Table 61

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.2
Rice	10



Vegetable Head Cabbage	0.5
---------------------------	-----

## 62 Thiabendazole

62.1 Major purpose of use: fungicide.

62.2 ADI: 0.1 mg/kg bw.

62.3 Residue: thiabendazole.

62.4 MRL: Shall comply with provisions in the Table 62.

Table 62

Food Category/Name	MRL (mg/kg)
Fruit Grape	5
Edible fungi Mushroom (fresh)	5

## 63 Lythidathion

63.1 Major purpose of use: pesticide.63.2 ADI: 0.004 mg/kg bw.

63.3 Residue: lythidathion.

63.4 MRL: Shall comply with provisions in the Table 63.

Table 63

Food Category/Name	MRL (mg/kg)
Fruit Watermelon	0.1

## 64 Fentin acetate

64.1 Major purpose of use: fungicide.

64.2 ADI: 0.0005 mg/kg bw.

64.3 Residue: fentin acetate.

64.4 MRL: Shall comply with provisions in the Table 64.

Table 64

Food Category/Name	MRL (mg/kg)
Grain Brown rice Rice	0.05* 5*
Sugar crop Sugar beet	0.1*

## 65 Acifluorfen

65.1 Major purpose of use: herbicide.

65.2 ADI: 0.013 mg/kg bw.

65.3 Residue: acifluorfen.

65.4 MRL: Shall comply with provisions in the Table 65.

Table 65

Food	MRL
------	-----

Oil seed Peanut kernel	0.1
---------------------------	-----

## 66 Triclopyr

66.1 Major purpose of use: herbicide.

66.2 ADI: 0.03 mg/kg bw.

66.3 Residue: triclopyr.

66.4 MRL: Shall comply with provisions in the Table 66.

Table 66

Food	MRL
Oil seed Rapeseed	0.5

## 67 Trichloroisocyanuric acid

67.1 Major purpose of use: fungicide.

67.2 ADI: 0.007 mg/kg bw.

67.3 Residue: trichloroisocyanuric acid.

67.4 MRL: Shall comply with provisions in the Table 67.

Table 67

Food Category/Name	MRL (mg/kg)
Oil seed Cotton seed	5*

## 68 Fosetyl-aluminium

68.1 Major purpose of use: fungicide.

68.2 ADI: 3 mg/kg bw.

68.3 Residue: Ethanephosphonic acid, phosphoric acid and their salts, expressed as Ethanephosphonic acid.

68.4 MRL: Shall comply with provisions in the Table 68.

Table 68

Food Category/Name	MRL (mg/kg)
Fruit Grape	10*

## 69 Niclosamide ethanolamine salt

69.1 Major purpose of use: pesticide.

69.2 ADI: 1 mg/kg bw.

69.3 Residue: niclosamide ethanolamine salt.

69.4 MRL: Shall comply with provisions in the Table 69.

Table 69

Food Category/Name	MRL (mg/kg)
Grain Brown rice Rice	0.5* 2*

**70 Anilofos**

70.1 Major purpose of use: herbicide.

70.2 ADI: 0.001 mg/kg bw.

70.3 Residue: anilofos.

70.4 MRL: Shall comply with provisions in the Table 70.

Table 70

Food	MRL
Grain	
Brown rice	0.1
Rice	0.1

**71 Lufenuron**

71.1 Major purpose of use: pesticide

71.2 ADI: 0.015 mg/kg bw

71.3 Residue: lufenuron

71.4 MRL: Shall comply with provisions in the Table 71.

Table 71

Food	MRL
Vegetable	
Head Cabbage	1*
Oil seed	
Cotton seed	0.05*

**72 Cymoxanil**

72.1 Major purpose of use: fungicide.

72.2 ADI: 0.013 mg/kg bw.

72.3 Residue: cymoxanil.

72.4 MRL: Shall comply with provisions in the Table 72.

Table 72

Food Category/Name	MRL (mg/kg)
Vegetable	
Pepper	0.2

**73 Trifloxystrobin**

73.1 Major purpose of use: fungicide.

73.2 ADI: 0.04 mg/kg bw.

73.3 Residue: trifloxystrobin.

73.4 MRL: Shall comply with provisions in the Table 73.

Table 73

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.1
Rice	0.1

**74 Tebuconazole**

74.1 Major purpose of use: fungicide.

74.2 ADI: 0.03mg/kg bw.

74.3 Residue: tebuconazole.

74.4 MRL: Shall comply with provisions in the Table 74.

Table 74

Food Category/Name	MRL (mg/kg)
Grain	
Soybean	0.05

**75 Nitenpyram**

75.1 Major purpose of use: pesticide.

75.2 ADI: 0.53 mg/kg bw.

75.3 Residue: total of nitenpyram and Methacrylatoethyl trimethyl ammonium chloride, expressed by nitenpyram.

75.4 MRL: Shall comply with provisions in the Table 75.

Table 75

Food	MRL
Grain	
Brown rice	0.1*
Rice	0.5*
Vegetable	
Head cabbage	0.2*

**76 Fenamistrobin**

76.1 Major purpose of use: fungicide.

76.2 ADI: 0.069 mg/kg bw.

76.3 Residue: fenamistrobin.

76.4 MRL: Shall comply with provisions in the Table 76.

Table 76

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	1*
Rice	1*
Vegetable	
Cucumber	1*

**77 Enestroburin**

77.1 Major purpose of use: fungicide.

77.2 ADI: 0.024mg/kg bw.

77.3 Residue: enestroburin.

77.4 MRL: Shall comply with provisions in the Table 77.

Table 77

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Vegetable Cucumber	1*
-----------------------	----

### 78 Dimethomorph

78.1 Major purpose of use: fungicide.

78.2 ADI: 0.2mg/kg bw.

78.3 Residue: dimethomorph.

78.4 MRL: Shall comply with provisions in the Table 78.

Table 78

Food	MRL
Vegetable Pepper	3

### 79 Xinjunan

79.1 Major purpose of use: fungicide.

79.2 ADI: 0.028 mg/kg bw.

79.3 Residue: xinjunan.

79.4 MRL: Shall comply with provisions in the Table 79.

Table 79

Food	MRL
Vegetable Tomato	0.5*
Fruit Apple	0.1*
Oil seed Cotton seed	0.1*

### 80 Bromoxynil octanoate

80.1 Major purpose of use: herbicide.

80.2 ADI: 0.015 mg/kg bw.

80.3 Residue: bromoxynil octanoate.

80.4 MRL: Shall comply with provisions in the Table 80.

Table 80

Food Category/Name	MRL (mg/kg)
Grain Wheat Corn	0.1* 0.05*
Vegetable Garlic stem Garlic sprout Garlic	0.1* 0.1* 0.1*

### 81 Spinetoram

81.1 Major purpose of use: pesticide.

81.2 ADI: 0.05 mg/kg bw.

81.3 Residue: spinetoram.

81.4 MRL: Shall comply with provisions in the Table 81.

Table 81

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.2*
Rice	0.5*

## 82 Fluoroglyphen-ethyl

82.1 Major purpose of use: herbicide

82.2 ADI: 0.01 mg/kg bw

82.3 Residue: fluoroglyphen-ethyl

82.4 MRL: Shall comply with provisions in the Table 82.

Table 82

Food Category/Name	MRL (mg/kg)
Oil seed	
Peanut kernel	0.05
Cotton seed	0.05
Grain	
Wheat	0.05

## 83 Pyrametostrobin

83.1 Major purpose of use: fungicide.

83.2 ADI: 0.014 mg/kg bw.

83.3 Residue: pyrametostrobin.

83.4 MRL: Shall comply with provisions in the Table 83.

Table 83

Food Category/Name	MRL (mg/kg)
Vegetable	
Cucumber	1*

## 84 Pinoxaden

84.1 Major purpose of use: herbicide.

84.2 ADI: 0.3 mg/kg bw.

84.3 Residue: pinoxaden.

84.4 MRL: Shall comply with provisions in the Table 84.

Table 84

Food	MRL
Grain	
Wheat	0.1*

## 85 Ametoctradin

85.1 Major purpose of use: fungicide.

85.2 ADI: 10 mg/kg bw.

85.3 Residue: ametoctradin.

85.4 MRL: Shall comply with provisions in the Table 85.

Table 85

Food Category/Name	MRL (mg/kg)
Vegetable	
Cucumber	1*
Potato	0.05*
Fruit	
Grape	2*

### 86 Diethyl aminoethyl hexanoate

86.1 Major purpose of use: plant growth regulator.

86.2 ADI: 0.01 mg/kg bw.

86.3 Residue: diethyl aminoethyl hexanoate.

86.4 MRL: Shall comply with provisions in the Table 86.

Table 86

Food Category/Name	MRL (mg/kg)
Oil seed	
Peanut kernel	0.1*
*The MRL is the temporary limit.	

### 87 Paclobutrazol

87.1 Major purpose of use: plant growth regulator.

87.2 ADI: 0.1 mg/kg bw.

87.3 Residue: paclobutrazol.

87.4 MRL: Shall comply with provisions in the Table 87.

Table 87

Food Category/Name	MRL (mg/kg)
Oil seed	
Soybean	0.05
Vegetable	
Vegetable soybean pods	0.05
Fruit	
Mango	0.05

### 88 1-naphthylacetic acid

88.1 Major purpose of use: plant growth regulator.

88.2 ADI: 0.15 mg/kg bw.

88.3 Residue: 1-naphthylacetic acid.

88.4 MRL: Shall comply with provisions in the Table 88.

Table 88

Food Category/Name	MRL (mg/kg)
--------------------	-------------

Vegetable	
Garlic	0.05
Garlic stem	0.05
Cucumber	0.1
Ginger	0.05
Fruit	
Grape	0.1
Leachy	0.05

**89 Thiosultap-monosodium** 89.1 Major purpose of use: pesticide.

89.2 ADI: 0.01 mg/kg bw.

89.3 Residue: nereistoxin.

89.4 MRL: Shall comply with provisions in the Table 89.

Table 89

Food Category/Name	MRL (mg/kg)
Vegetable	
Cucumber	2
Tomato	1
Cabbage	1

**90 Uniconazole**

90.1 Major purpose of use: plant growth regulator.

90.2 ADI: 0.02 mg/kg bw.

90.3 Residue: uniconazole.

90.4 MRL: Shall comply with provisions in the Table 90.

Table 90

Food Category/Name	MRL (mg/kg)
Grain	
Brown rice	0.1
Wheat	0.05
Oil seed	
Peanut kernel	0.05
Rapeseed	0.05

**91 Butralin**

91.1 Major purpose of use: herbicide, plant growth regulator.

91.2 ADI: 0.2 mg/kg bw.

91.3 Residue: butralin.

91.4 MRL: Shall comply with provisions in the Table 91.

Table 91

Food	MRL
Fruit	
Watermelon	0.1



\*The MRL is the temporary limit.

**END OF TRANSLATION**